### INTERIM REPORT

## University Heights Sites C and E Environmental Evaluation

## Prepared for

K. Hovnanian Companies of North Jersey, Inc. 10 Highway 35 Red Bank, New Jersey 07701

Prepared by

J M Sorge, Inc. 50 County Line Road Somerville, New Jersey 08876

JMS Project No. 92050

July 1992

#### TABLE OF CONTENTS

		Page
1.0	INTRODUCTION: PROGRAM OBJECTIVES	1 .
	1.1 APPROACH	1
2.0	ENVIRONMENTAL SETTING	2
	2.1 REGIONAL GEOLOGY	2
	2.2 REGIONAL HYDROGEOLOGY	2
	2.3 SITE SPECIFIC CONDITIONS	3
	a 	
3.0	SITE INVESTIGATION	4
	3.1 BLOCK PERIMETER TRENCHING	4
	3.2 BLOCK INTERIOR SURVEY	4
4.0	FINDINGS OF INVESTIGATIVE PHASE: AREAS OF	
4.0	ENVIRONMENTAL CONCERN	5
	4.1 SITE C	. 5
	4.2 SITE E	7
5.0	PROPOSED REMEDIAL ACTIVITIES - TANKS	9
6.0	ESTIMATED COSTS	9
7.0	QUALITY ASSURANCE/QUALITY CONTROL	10
8.0	CONCLUSION	11

## LIST OF FIGURES

Number	Title	
1	Site Location Map  Site Plan (with all trench, pit, boring a	nd
2	tank locations)	
	LIST OF TABLES	
1	Tank Inventory	
	LIST OF APPENDICES	
A	Soil Boring and Test Pit Logs	
В	Standard Sampling Procedures	
С	Laboratory Analytical Methodologies	

#### 1.0 INTRODUCTION: PROGRAM OBJECTIVES

J M Sorge, Inc. (JMS) has been retained by K. Hovnanian Companies of North Jersey, Inc., to perform environmental evaluation and remediation activities at University Heights Development Sites C and E, located in Newark, New Jersey.

The objectives of the program are as follows:

- o Identify and remove all underground tanks and associated contaminated soil;
- o Conduct soil testing as necessary to determine quality of fill on site;
- Supervise the removal of contaminated soils and conduct post-excavation confirmatory sampling; and,
- o Document the testing and cleanup conducted on site.

This report details the findings of the initial phase of these activities, including site investigation and subsurface evaluation, and contains proposed remedial activities regarding the underground storage tanks not associated with occupied dwellings or businesses at the time of this investigation. Table 1 lists all tanks which will be addressed during this portion of the program. As additional properties become accessible, they will be investigated and remedial plans developed accordingly.

#### 1.1 APPROACH

٠, ١

1.

Beginning on June 19, 1992 and continuing until July 10, 1992, JMS field personnel investigated the sites through a number of means in order to identify potential areas of environmental concern. Initially, JMS personnel visually inspected the site to determine the presence of stained soils, refuse, storage tanks or other potential causes of environmental degradation.

The visual inspection was followed by a subsurface evaluation, using electromagnetic remote sensing to identify potential underground storage tanks. This was followed by trenching, test pit installation and soil boring installation to evaluate tank location and condition, and to delineate any areas of contamination.

Due to the three (3) to four (4) week turnaround time for analytical results, this interim report will concentrate primarily on the tank investigation. When the analytical data becomes available, a final report will be submitted which more fully addresses the contaminated soils at the sites.

INTERIM REPORT
July 1992
Page 1

## 2.0 ENVIRONMENTAL SETTING

Sites C and E comprise seven (7) blocks in the University Heights section of the City of Newark. A site location map is provided as Figure 1. Site C consists of city tax blocks 403, 408, and 409; Site E consists of blocks 404, 405, 406, and 407. The predominant land use within the surrounding area is residential with less than 10 percent commercial use. The sites were formerly residential tracts, however a gradual decline in the area resulted in the ultimate demolition of most of the existing structures by the City of Newark. The demolition consisted of leveling and filling the condemned portions of the site. Apparently, the residential heating oil tanks were not removed from the site prior to demolition. Further, the quality of the fill material used to grade the site was not established at the time of placement.

## 2.1 REGIONAL GEOLOGY

The site lies within the Piedmont Physiographic Province. The Piedmont Province is underlain by Triassic and Jurassic rocks of the Newark Group. These rocks are classified into four (4) formations: The Stockton Formation, the Lockatong Formation, the Brunswick Formation, and the Watchung Basalts.

The Stockton Formation consists of grey feldspathic sandstone, arkosic conglomerates, and red shale, and is locally up to 2800 feet in thickness. The Lockatong Formation rests conformably on the Stockton and consists of grey and black siltstone. At its type section it is over 3300 feet thick. The Brunswick Formation is the youngest sedimentary member of the Newark Group. This formation is of Triassic to Early Jurassic age, and consists of interbedded brown, reddish-brown and grey shale; sandy shales; sandstone; and some conglomerates. The total thickness of the Brunswick Formation exceeds 6000 feet.

The Watchung Basalts are a series of three (3) extensive lava flows of the same age as the Brunswick Formation, and can be found interbedded with it.

## 2.2 REGIONAL HYDROGEOLOGY

: ..

i, :

The rocks of the Brunswick Formation are the main source of groundwater in Essex County. Water in these rocks occurs under confined and semi-confined conditions in the lowland areas of Newark where clay beds or till mantle the underlying rocks. Artesian pressure may be considerably reduced, or become unconfined due to the heavy pumping in the Newark area.

INTERIM REPORT July 1992 Page 2 Groundwater exists in unconfined or confined conditions in Pleistiocene glacial deposits above the bedrock. The unconfined groundwater occurs where sand and gravel deposits are not covered by clay, silt or till. These deposits are commonly less than 20 feet thick and do not yield large quantities of water. Confined and semi-confined groundwater occurs where sand and gravel deposits have been covered by clay, silt or till. These aquifers are found in buried bedrock valleys.

The shales and sandstones are generally capable of sustaining moderate to large yields. The best producing wells in the Brunswick Formation are commonly between depths of 300 to 400 feet. Drawdown due to pumping is greatest in the strike direction, (approximately North 30° East) and least in the direction perpendicular to strike. The average yield of large diameter production wells is in the range of 300 to 400 gallons per minute (gpm). Groundwater has been encountered on adjacent sites at depths of 13 to 20 feet. However, the presence of leaking water mains and buried basements has resulted in perched water zones at various intervals.

#### 2.3 SITE SPECIFIC CONDITIONS

1. ...

Sites C and E were extensively reworked during the process of demolition of the condemned housing and leveling of the area that occurred prior to this investigation. A soil boring program indicated that fill material consisting of building rubble, fill soils, and debris had been used during the post-demolition grading of the sites. Also, examination of the older maps from the City of Newark indicated that the area underwent considerable redevelopment during the period between 1910 and 1925. A review of aerial photos of the area from 1940, 1951, 1961, and 1974 indicates that the site was relatively stable until the period of 1961 thru 1974. Much of the demolition and grading of the site occurred at that time.

The soil boring and trenching investigation results indicate that native soils in the site area have been covered to a depth of approximately nine (9) feet. The material overlying the native soils is predominantly composed of reworked stony, sandy red soil derived from the Brunswick Formation. This is the material typically found in the block interiors. Bedrock is present at depths ranging from 2 to 15 feet across the site, trending deeper north of West Market Street toward Warren Street. The material that was used to fill the foundations of demolished buildings was composed of soil fill, building rubble and debris.

A great deal of trash has been dumped on the surface of the site over the years. This trash consists mainly of domestic garbage and automobile parts. Nothing of a serious hazardous nature (e. g. drums, industrial waste, etc.) was found on the sites.

July 1992 Page 3

## 3.0 SITE INVESTIGATION

Preliminary site inspections identified several areas of potential environmental concern on Sites C and E. A number of tanks were located during the preliminary investigation based on a surface inspection of the area. The presence of tank fill ports and vent pipes along the sidewalks were used to identify tank locations. Surface debris was taken as an indication of potential problems associated with the types of material used as fill. Several areas of concern were identified based on a review of aerial photographs and other conditions. The potential areas of concern included the following: surface staining and refuse piles in vacant lots on blocks 408 and 409, and the presence of auto repair shops and garages on blocks 404 and 407. The results of the previous investigation and cleanup completed on adjacent sites provided the basis for assessment of probable subsurface conditions based on the results of this field program. Experience from these previous programs also provided the basis for selection of investigative methods best suited for this area.

The following sections detail the investigative procedures used to evaluate each of these concerns, and the findings of this phase of the investigation.

## 3.1 BLOCK PERIMETER TRENCHING

In previous work in the adjacent development sites, most of the underground storage tanks (USTs) were located below or adjacent to sidewalks. Aerial photos confirm that much of the seven-block area was occupied by long narrow houses with limited access to the sides and backyards. This type of arrangement made it necessary to locate heating oil tanks in front of the houses to allow access for filling.

The most practical method for locating tanks was exploratory trenching. The trenches were installed using a rubber-tire backhoe along the former block perimeters. S9nce much of the property was unoccupied, perimeter trenching was almost complete. Figure 2 illustrates the completed trenching program.

## 3.2 BLOCK INTERIOR SURVEY

The interior portion of each block was investigated using a three-fold approach. First, an electromagnetic survey was conducted to locate tanks, drums or other large metallic objects. Electromagnetic "hot spots" were then investigated through the use of soil borings, test pits and trenches.

> INTERIM REPORT July 1992 Page 4

In addition to the electromagnetic survey, a general site-wide soil boring and test pit grid survey was conducted. Due to obstructions such as buildings, fences and walls, the 50-foot grid survey had to be modified to assure good coverage of the site. Each soil boring and test pit was logged and the characteristics and composition of soils noted.

Cuttings from each boring were field screened using a portable photoionization organic vapor detector and selected samples were kept for laboratory analysis. Soil boring logs and test pit logs are included as Appendix A. The locations of the soil borings and test pits are indicated on Figure 2.

All of the electromagnetic "hot spots" observed in the block interiors were further evaluated during the subsequent drilling and test pit installation program. These were found to be caused by metallic debris such as old pipes, auto parts and metal scrap.

## 4.0 FINDINGS OF INVESTIGATIVE PHASE: AREAS OF ENVIRONMENTAL CONCERN

On the basis of the investigation described above, a number of areas of environmental concern have been identified at sites C and E. These include the locations of 25 improperly abandoned underground storage tanks and three (3) areas of contaminated soil. Each of these areas is illustrated on Figure 3. The following sections detail the specific findings of the trenching, soil boring, and test pit programs in terms of these areas of concern. Areas of concern have been broken down according to development site and tax block.

#### 4.1 SITE C

#### BLOCK 403

The perimeter trenching operation identified three (3) underground storage tanks on Block 403. One tank (T403-1) was not exposed due to its position under the corner of a yard belonging to an occupied residence. The tank does not appear to be connected to said dwelling. It appears that it was left in place during the demolition of a neighboring house, whose lot was then acquired by the owner of the existing dwelling, who fenced in the area and turned it into a garden. The existence of the tank was determined when trenching activities outside the fenced area uncovered the feed and return lines and the vent pipe for the tank.

Tank T403-2 is a 550-gallon heating oil tank underneath the sidewalk in front of an abandoned dwelling. Tank T403-3 is a 500-gallon tank, possibly containing gasoline, found at one corner of an empty lot. This tank is believed to have been associated with a former residence at this now vacant lot.

INTERIM REPORT
July 1992
Page 5

An area of concern not connected with underground storage tanks was identified in a vacant lot located mid-block along Wilsey Street. The area exhibits extensive surface staining resulting from auto repair. There is a strong odor of motor oil and transmission fluid in this location, as well as numerous small auto parts scattered about the area. Trenching in this lot revealed that the staining does not extend greater than two (2) feet below the surface.

#### BLOCK 408

Four (4) USTs have been identified on block 408. Tank T408-1 is a 550-gallon heating oil tank located approximately mid-block along Newark Street. Tank T408-2 is a 1000-gallon kerosene tank located along Newark Street toward Warren Street. Tank T408-3 is a 550-gallon gasoline tank located in a vacant lot approximately 20 feet from T408-2, in an area of extensive PHC contaminated soils (described below). Tank T408-4 is located under new sidewalk at the corner of Norfolk and Warren Streets. Due to the busy nature of the intersection and the restricted access to the tank area, the tank was not uncovered, and it was impossible to determine the amount and type of product, if any, remaining inside. All of these tanks are believed to be associated with former residential structures.

An area of heavily contaminated soil has been identified in a vacant lot opening on Newark Street, in the vicinity of Tanks T408-2 and T408-3. Information obtained from local residents indicates that an oil distribution company employee was observed dumping heating oil in this lot on several occasions in the past.

Petroleum hydrocarbon contamination extends from the surface to bedrock at approximately nine (9) feet. The volume of affected soils is estimated at 1000 cubic yards. Soil contamination in this area does not appear to be related to the two (2) storage tanks encountered nearby.

In addition, there are several piles of refuse in the area which consist primarily of building debris, but which include empty 5-gallon buckets of machine lubricant and sealing compounds.

#### BLOCK 409

: :

....

Three (3) heating oil tanks have been identified on this block. Tank T409-1 is a 1000-gallon UST located near the corner of Wilsey and Academy Streets. Tank T409-2 is a heating oil tank estimated at 1500 gallons capacity, located in front of an abandoned dwelling on Lot 30 along Newark Street. Tank T409-3 is a 275-gallon heating oil tank that was formerly located in the rear basement of an abandoned house on Lot 19 along Wilsey Street.

INTERIM REPORT
July 1992
Page 6
KHOV005717

The house was demolished on or about July 10, 1992, with the tank still in the basement. The tank was subsequently excavated from the rubble and removed from the basement and placed a short distance from the former house, under the supervision of JMS personnel. The tank was observed to be empty of product and in good condition at the time of removal.

#### 4.2 SITE E

#### BLOCK 404

Six (6) heating oil tanks were identified on this block. Four (4) are located in the basements of abandoned houses. Of these four, two (T404-2 and T404-3) have been determined to be 275-gallon oval tanks. Both of these were found along Academy Street. Due to the uncertain structural integrity of the dwellings in which they are located, and the lack of direct access from outside the dwellings, the other two (2) basement tanks (T404-5 and T404-6) were not directly investigated. However, it is reasonable to assume that they are also 275-gallon tanks similar to the others. Once the dwellings have been demolished these two (2) tanks will be addressed in detail.

The two (2) remaining tanks were uncovered during trenching operations along Academy Street and School Street. Tank T404-1 is a 550-gallon tank located beneath the sidewalk in front of an abandoned house along Academy Street. Tank T404-4 is a 1000-gallon tank in front of an empty lot across from the elementary school. Both tanks contain heating oil.

In addition, the garage of an abandoned house along Academy Street (Lot 20) appears to be an area of concern. A sign indicates that the garage used to be an auto repair shop. There is a great deal of refuse in the garage, and the floor appears to be heavily stained with motor oil. Due to restricted access, further investigation of this area will have to be delayed until the structure is demolished and the debris removed.

#### BLOCK 405

Five (5) USTs have been identified around the perimeter of this block. One, Tank T405-1, lies beneath the pavement in front of the recently demolished brick church along West Market Street. The tank is estimated to be of 1500 gallons capacity, and contains a small amount of No. 2 heating oil and water.

Due to the presence of underground utilities, including power lines and fiber-optic phone lines, the tank was not exposed.

INTERIM REPORT
July 1992
Page 7

KHOV005718

The remaining tanks, T405-2 through T405-5, were exposed by trenching activities along Academy Street. Tanks T405-2 and T405-3 are both 550-gallon heating oil tanks. Tank T405-3 appears to have leaked at some time in the past, but based on the trenching activities it appears that a limited area has been affected, and the volume of soils that will require removal is limited.

Tank T405-4 is a 1000-gallon heating oil tank. Stained soils near the fill port indicate that some spillage has occurred, but again the area affected appears to be limited.

Tank T405-5 is an odd-sized tank, estimated at 850 gallons capacity. There is no evidence of leakage around this tank, which contains heating oil.

## BLOCK 406

Four (4) underground heating oil tanks have been identified along the perimeter of Block 406. Three (3) tanks, T406-1 through T406-3, were located along West Market Street in the immediate vicinity of buried utility lines, as described above. reason the tanks were not uncovered.

Tank 406-4 is a 550-gallon heating oil tank which was uncovered by trenching activities along Newark Street.

## BLOCK 407

No underground heating oil tanks were encountered during trenching activities along Block 407. Two (2) tanks have been visually identified, but both are attached to occupied dwellings or places of business and, therefore, are not addressed in this report.

One area of concern not related to underground tanks has also been identified. An area of what appears to be pesticide and PHC contaminated soil has been discovered along Academy Street, extending from the garage on Lot 6 to the corner of Academy and Wilsey Streets. The contamination extends from the surface to bedrock at 8 feet. A strong pesticide-like odor was evident during excavation activities, and surface oil staining was evident in the area. The volume of affected soils is estimated at 300 cubic yards. The exact nature of the contaminants in this area will be verified by analysis.

> INTERIM REPORT July 1992 Page 8 KH0V005719

## 5.0 PROPOSED REMEDIAL ACTIVITIES - TANKS

Remedial activities will be broken down into two (2) phases. The first will concentrate on the removal of the tanks described above. In most cases, the course of action will be as follows: the tank in question will be uncovered or otherwise made accessible by Milltown Drilling and Excavation (MDE). All product removal, tank entry, and cleaning will be performed by representatives of L&L Oil Service, Inc. (L&L). If necessary, MDE employees will create additional openings in the tank so that it may be completely emptied. Then L&L will enter and clean the tank so that it may be transported. A total of twenty-five (25) tanks will be addressed. Of these twenty (20) will be removed and five (5) will be abandoned in place. None of the tanks identified are regulated under the New Jersey Underground Storage Tank Act.

Most of the tanks in question are No. 2 heating oil tanks, and the necessary precautions are minimal. Two (2) tanks, however, appear to contain gasoline, and additional precautions will be necessary. In these cases, both JMS and MDE will be present with the necessary equipment and materials to secure the tank area in order to assure safe working conditions.

Once the tanks have been emptied and cleaned, they will be loaded onto a dump truck and taken to a scrap dealer for disposal.

Due to problems with access, JMS proposes to abandon four (4) tanks in place. The tanks to be abandoned in place are T405-1, T406-1, T406-2 and T406-3. These tanks are illustrated on Fig-Three (3) of these tanks are located along West Market Street, in the immediate vicinity of buried power and fiber-optic lines. In order to reduce the risk of property damage or injury to site personnel, the tanks will be left in place. After the tanks have been emptied and cleaned, they will be filled with concrete, and the excavation backfilled. If contaminated soils are encountered in the tank area, as much soil as possible will be removed without jeopardizing the integrity of the underground utility lines. One additional tank is located at the corner of Warren and Norfolk Streets. The tank is located under new sidewalk in close proximity to a busy intersection, with limited access to the tank location. The presence of underground utilities is suspected, and it would be prudent to minimize the disturbance of the area. Therefore it is proposed that this tank also be abandoned in place. The same procedure will be followed as described above.

> INTERIM REPORT July 1992 Page 9

## 6.0 ESTIMATED COSTS

## TANK REMOVAL

Backhoe/Operator, 5 days @ \$600/day \$  Dump truck/Operator, 5 days @ \$450/day  Vac. truck/Operator, 5 days @ \$1000/day  Vac. truck/Operator, 7000 gal @1.00/gal  Waste product disposal, 7000 gal @500/day	3,000 2,250 5,000 7,000 2,500
Waste product disposal, 7000 gal el. 30, yand waste product disposal	2,500

## TANK ABANDONMENT

Delivery of 20 yds. cement

1,200

## SAMPLE ANALYSIS

-		7,500	-	11,250
100-150 PHC @ \$75		10,000	-	16,000
25-40 BN+ @ \$400	(4)	8,125	-	13,000
25-40 VO+ @ \$325				

## DATA REVIEW/ANALYSIS/REPORTING

4,000

## PROJECT MANAGEMENT

4,000

ESTIMATED TOTAL

\$50,975 - 69,200

We anticipate being able to start field work within two (2) days Sample analytical costs are based on standard turnaround time of three (3) to four (4) weeks. Field work should be completed in one week from startup. We anticipate completion of the final report within seven (7) weeks of the commencement of the tank removal program.

# 7.0 QUALITY ASSURANCE/QUALITY CONTROL

Throughout this investigation, strict measures were taken to assure the validity of all analytical data and the investigation findings. All samples were collected in accordance with JMS standard sampling procedures which have been approved by NJDEPE for numerous similar investigations. These procedures are outlined in Appendix B.

All analyses were performed by Envirotech Research, Inc. of Edison, New Jersey (NJDEPE certified laboratory No. 12543). A summary of analytical methodologies is provided in Appendix C. Complete laboratory quality assurance/quality control (QA/QC) documentation will be kept on file for review as necessary.

> INTERIM REPORT July 1992 Page 10

KH0V005721

#### 8.0 CONCLUSION

èn;

The investigation detailed above has resulted in the identification of twenty-five (25) improperly-abandoned underground storage tanks and four (4) areas of concern involving contaminated soil not associated with USTs. At this time preparations are being made to commence with the tank removal program, and soil removal activities will be coordinated as analytical data becomes available. A complete report on the findings of this investigation will be prepared upon receipt of all analytical results.

INTERIM REPORT July 1992 Page 11

## AUTHORIZATION FOR PROFESSIONAL SERVICES

I accept the J M Sorge, Inc. (JMS) proposal of July 22, 1992, for K. HOVNANIAN COMPANIES OF NORTH JERSEY, INC., and agree to the terms and conditions provided in the JMS Schedule of Fees, attached. JMS is authorized to proceed with the project as of the authorization date indicated, with a maximum authorized billing amount of \$69,200. JMS will not exceed the amount authorized without prior approval.

JMS does not assume control of or responsibility for reporting to any Federal, State or local public agencies, any discharges or contamination at the site as required by law, or that may present a potential danger to public health, safety or the environment.

The owner agrees to indemnify JMS against any cost or liability which results or arises from damage or destruction of any subsurface utilities, piping systems, or other structures located on the owner's site or facility; which may occur during any subsurface investigation, cleanup conducted or related work conducted by JMS, unless the owner has previously notified JMS of the location of said utilities, piping systems or other structures.

JMS provides comprehensive General Liability Insurance coverage and Workmen's Compensation Insurance for JMS employees as required by New Jersey regulations.

The owner agrees to limit JMS liability to the Owner and to all other parties, due to JMS professional negligent acts, errors or omissions, such that the total aggregate liability of JMS to all parties shall not exceed JMS fee on this project.

Signed: K. HOVNANIAN COMPANIES OF NORTH JERSEY, INC.

ву:		
Title:		
Authoriz	ation Date:	


#### K. HOVNANIAN DEVELOPMENT

TABLE 1

#### TANK INVENTORY

TAX BLOCK	TANK NUMBER	CAPACITY	TYPE/AMOUNT OF PRODUCT*
403	T403-1		No. 2 heating oil /unknown
	T403-2	550	No. 2 heating oil /417 gal.
	T403-3	500	gasoline/500 gal.
		300	gusorine, soo gar.
404	T404-1	550	No. 2 heating oil /107 gal.
	T404-2	275	No. 2 heating oil /unknown
	T404-3	275	No. 2 heating oil /empty
	T404-4	1000	No. 2 heating oil /60 gal.
	T404-5		unknown
	T404-6		unknown
405	T405-1	1500	No. 2 heating oil/110 gal.
	T405-2	550	No. 2 heating oil/275 gal.
	T405-3	550	No. 2 heating oil/510 gal.
	T405-4	2000	unknown/430 gal.
	T405-5	1000	No. 2 heating oil/685 gal.
406	T406-1		unknown
	T406-2	550	No. 2 heating oil/50 gal.
	T406-3	550	No. 2 heating oil/30 gal.
	T406-4	550	No. 2 heating oil/520 gal.
407	NONE		*
408	T408-1	500	No. 2 heating oil/500 gal.
	T408-2	1000	kerosene/90 gal.
	T408-3	550	qasoline/200 gal.
	T408-4		unknown
	. 400-7		unknown
409	T409-1	1000	No. 2 heating oil/33 gal.
	T409-2	1200	No. 2 heating oil/670 gal.
	T409-3	275	No. 2 heating oil/empty

<sup>\*</sup> all quantities approximate



FROMITHA A DUINSELOUS			SPEED LETTER.
K HUVNANIAN CO		TO LOW	COE INC
KED BANK, NIE (1770)			0400
MESSAGE		Account to the second state of the second stat	
<u>NEWE REVIEWATHE AT</u> FORM AND IF LACEE PTAIL	(E) SICW CN	PAGE, 4. T	ME KEVIEG, FOR
THE REQUESTING \$350 CAN HAR THE REVIEW			
PRUCEE D. RETURNSTME SHO LEGUIRED DATA AND SUISMA REPY			
ExpEDITE AS FAST	As gossie	66 Julom	no of
-cost A	SUPPLE	give, 12 Led	CK/ DIA/
FOR NO. 6			KH0V005726
Wilsonijones Carbonhee - MADE IN U.S.A.	DATE RECIPIENT: RETAIN WHITE	SIGNED SIGNED E COPY, RETURN PINK COPY, PLEAS	High Over top use large
			A SAME OF THE WINDOW ENVELOPE.

## New Jersey Department of Environmental Protection Division of Hazardous Waste Management

## WASTE CLASSIFICATION REQUEST FORM

HIDE THING MICH CONTROL	CLASSIFICATION REQUESTS. PLEASE READ THE ACCOMPANYING DRM. MAIL COMPLETED FORMS TO THE ADDRESS ON THE LAST PAGE. HE WASTE CLASSIFICATION PROGRAM AT (609) 292-8341.
(Please Type or Print Clearly) SEC	CTION 1: GENERAL INFORMATION
3. Street Address 10 Highway 35 (where waste was generated) 5. County Monmouth 6. State NJ 9. Phone Number ( 908) 747-7800	
11. Agency Contact N/A  SUBMITTER (Complete if someone if the generator's mailing addressed to this company if	is submitting this request on behalf of the generator or if dress is different from aboveAll correspondence will be this section is completed.)
13. Company Name J M Sorge, Inc.	. 14. Mailing Address 17. Zip Code
18. Contact Michael McGowan	ECTION 2: WASTE TYPE INFORMATION
20. Waste Type: (Check the app waste is not identified by any box checked is specified in App  A. [x] soil contaminated with virgin petroleum fuel only  B. [] soil contaminated with waste oil  C. [] soil contaminated with process waste  D. [] soil contaminated virgin chemicals  E. [] soil, N.O.S.*  *Not Otherwise Specified	or opriate box for the type of waste to be classified. If the of the descriptions, check box "V". Required testing for the sendix 2.)  R. [] household
3000 cubic vds	gals. (circle one), Disposed: once weekly monthly annually page 1

HWM-009(6/91)

#### New Jersey Department of Environmental Protection Division of Hazardous Waste Management

#### WASTE CLASSIFICATION REQUEST FORM

22. Waste Description: Describe in detail the waste to be classified. [If the waste is contaminated soil, describe how the soil became contaminated (i.e. "The soil became contaminated with #2 fuel oil during the removal of a leaking underground storage tank."). If the waste is off-specification, contaminated, or otherwise unusable product, or empty containers, describe the product, the reason the material is being wasted, and (for empty containers) how the containers were emptied and/or cleaned. If the waste is process waste, or contains process waste, describe all of the processes that generate, or contribute to the waste. For all other wastes, describe the type of waste to be classified and how the waste was generated.]

Soil contaminated with virgin petroleum fuels: #2 fuel oil, gasoline. The soil was contaminated with fuel from underground storage tanks at neumerous locations throughout a 7-block inner city redevelopment area in Newark, NJ. All tanks were of 275 to 1000-gallon capacity, and were associated with residential structures. The tanks and contaminated soil were removed as part of a site-wide cleanup performed in advance of residential redevelopment.

(Check box if additional sheets are attached) [ ]

23. Other uses of hazardous materials on the same site: Indicate any other processes, including storage, which involve the use of hazardous materials which have taken place on the site. Of special importance are those compounds and wastes listed in N.J.A.C. 7:26-8.13, 8.14, 8.15, 8.16, and 8.20. If these materials could have contributed contamination to the waste to be classified, please list them here.

. None known

(Check box if additional sheets are attached) [ ]

#### SECTION 3: SAMPLING INFORMATION

NOTE: Sampling of excavated/stockpiled waste must be performed in accordance with the approach listed in Appendix 1 of this form. Failure to do so will result in the return of your request. Sampling of all other wastes (e.g. drummed waste, process wastes, in situ sampling of soil, etc.) must be approved, in writing, prior to sampling.

24. Was a site specific sampling plan pre-approved by the Waste Classification Program?  $(Y/N)_{\underline{X}}$  (If no, and you have not followed the sampling guidance in Appendix 1, your waste classification request may be returned due to inadequate sampling.)

KH0V005728

If yes, the following items must be attached:
i. the proposed sampling plan;
ii. the Bureau's letter of approval;
iii. an addendum describing any deviations from the approved plan which occurred during sampling.

SEE ATTACHMENT ONE

HWM-009(6/91)

## New Jersey Department of Environmental Protection Division of Hazardous Waste Management

## WASTE CLASSIFICATION REQUEST FORM

If
25. Sampling Methodology: (Check the appropriate box for the method of sampling used. If the method is not identified by any of the descriptions, check box "I." and explain methods used)
methods used,  A. [] split spoon B. $\{\chi\}$ boring C. [] dredge D. [] wipe
f 1 annh G 1 1 1100105 11. L 1 011. F
I. [] other (explain)  positive bias (circle one)
26. Sampling approach: random positive size of the waste to be classified, 27. Site Diagram: A site diagram (showing the location of the waste to be classified, sampling locations, the locations of any nearby process, storage, or waste disposal sampling locations, the locations of any nearby electrical transformers) is areas, and the present or past location of any nearby electrical transformers) is areas, and the present or past location of any nearby electrical transformers) is necessary for most classifications and should be submitted. The diagram may be drawn in necessary for most classifications and should be submitted. If one is not supplied, and the space below, or submitted as a separate attachment. If one is not supplied, and the space below, or submitted as a separate attachment. Use the suspended pending receipt found to be necessary, the processing of your request will be suspended pending receipt of the diagram.
of the diagram.  The stockpiled soil is located on a vacant city block. There are no nearby process,  The stockpiled soil is located on a vacant city block. There are no nearby process,  The stockpiled soil is located on a vacant city block. There are no nearby process,
existed in this area in the same of the space REPRESENTS
STOCKPLED APPROXIMATELY 300 CUBIC YARDS
SOIL OF MATERIAL.
STEXPLED APPROXIMATELY 300 CUBIC YARDS OF MATERIAL.
xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
PRINCE ST.  Compositing Scheme: Indicate the number of discrete samples comprising each laboratory
28. Compositing Scheme: Indicate the number of discrete samples
sample composite.
Laboratory Sample Samples Composited (composite) I.D.# Samples Composited to Make Lab Sample 73674  No. of Discrete Laboratory Sample Samples Composited to Make Lab Sample
73667 73675 5
73669 (75229) 5 (5)
73670 5
73672 5
(Check box if additional sheets are attached) [ ]
SECTION 4: ANALYTICAL RESULTS AND QUALITY ASSURANCE DELIVERABLES
SECTION 4: ANALYTICAL RESOLTS AND QUITEMENTS Specified in Appendix 2 must The minimum testing and quality assurance requirements specified in Appendix 2 must reserve the minimum testing and quality assurance requirements form. The Department reserve the minimum testing and quality documentation submitted with this form.
The minimum testing and quality assurance requirements form. The Department reserve

The minimum testing and quality assurance requirements specified in Appendix 2 must be performed and the results/documentation submitted with this form. The Department reserves the right to require additional testing and information if deemed necessary for issuance of a letter of classification. For more information, see Appendix 2.

SEE ATTACHMENT 2

## New Jersey Department of Environmental Protection Division of Hazardous Waste Management

#### WASTE CLASSIFICATION REQUEST FORM

	**	
29.	GENERATOR CERTIFICATION: I certify that I have personally example the information submitted in this form and all attached docume inquiry of those individuals immediately responsible for obtable lieve that the submitted information is true, accurate, and commission of information, or submission of false information coulopinion on this waste null and void, and that illegal disposa hazardous waste could subject me and my company to both civil a am also aware that the Department's opinion on the hazardous/nomaterial/waste represented by the information presented on this my responsibility to properly determine whether the waste gener in accordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a maccordance with the provisions of N.J.A.C. 7:26-1,4,7-12 et and a	nts, and that based on my lining the information, I complete. I am aware that ld render the Department's l of nonhazardous and/or onhazardous status of the form, in no way relieves ated is a hazardous waste seq.
	Waste Composition Certification	
	9	
	NOTE: Generators who, through knowledge of the waste to be cla these compounds are not present in the waste may sign this certain testing. Please check the appropriate box(es) and Required testing is specified in Appendix 2.	certification in lieu of sign the certification.
	I hereby certify, to the best of my knowledge, and after examination of all pertinent records, including personal interv may have knowledge on the subject, that none of the following boxes are checked ever have been used, stored, spilled, or disthey may potentially be present in the waste to be classified. those chemicals which you are certifying are not present in the	
	Wastes listed in N.J.A.C. 7:26-8.13, 8.14, 8.15, or 8.20	[* ]
	Toxicity Characteristic pesticides and herbicides	[ x]
	Toxicity Characteristic volatile and semivolatile compounds	[ x]
	Sulfide and cyanide bearing compounds (including naturally occur	ring)[×]
	Polychlorinated biphenyls (PCBs)	[]
	I am (print first, middle, last name) and am employed by (company	name)
	in the capacity of $\frac{1}{(job\ title\ or\ position)}$ on this day	(month, day, year) .
	I am certifying based upon knowledge/information that covers the	time period from
	to (date) (sign	Idator
	COMPLETED FORMS AND COPIES OF ORIGINAL LABORATORY REPORTS FOR	ALL REQUIRED ANALYTICAL

WORK AND MUST BE MAILED TO: WASTE CLASSIFICATION SECTION, BUREAU OF HAZARDOUS WASTE REGULATION AND CLASSIFICATION, NJDEP - DHWM, CNO28 401 EAST STATE STREET, TRENTON, NJ 08625. INCOMPLETE FORMS WILL BE RETURNED, RESULTING IN DELAYS. THE DEPARTMENT RESERVES THE RIGHT TO REQUEST ADDITIONAL INFORMATION IF DEEMED NECESSARY.

# ATTACHMENT 1 RESPONSE TO ITEM 24



hilly

50 County Line Road, Somerville, NJ 08876 • (201) 218-0066 FAX (201) 218-9185

8805 3

May 2, 1990

Mr. Charles D'Amico NJ Department of Environmental Protection Division of Hazardous Waste Management Bureau of Hazardous Waste Regulation and Classification CN 028 Trenton, NJ 08625-0028

Re: Waste Soil Classification Sampling Plan K. Hovnanian Co.; University Heights Project Newark, NJ JMS Project # 88053

Dear Mr. D'Amico:

The purpose of this letter is to propose a modified waste characterization sampling plan for petroleum contaminated soils excavated at the University Heights redevelopment project area in Newark, New Jersey. Our original waste classification request was submitted on March 26, 1990. That request included analytical results for four (4) composite samples of the waste soil. The total volume of waste soil involved is approximately 15,500 cubic yards.

The waste soil was the result of leakage from a group of underground storage tanks discovered during the early construction/site preparation phase of the project. The project site is located in a seriously blighted portion of the Central Ward of Newark. This part of the city sustained extensive destruction during the 1968 riots and never recovered. Most of the buildings damaged during the riots were leveled by the city. Underground storage tanks associated with the buildings were generally ignored during this site clearing and leveling activity. Now, as redevelopment has begun these tanks and the contaminated soil associated with them are being removed voluntarily by the K. Hovnanian Company, the project developer.

Most of the tanks discovered are in the 500 to 1,000-gallon capacity range and were used to store heating oil. However,, the tanks that caused the 15,500 cubic yards of contaminated soil currently under evaluation are believed to have held gasoline.

Mr. Charles D'Amico May 2, 1990 Page Two

The tanks were very old (greater than 50 years) based on their unusual design, construction and placement. There was no surficial evidence of the presence of the tanks, such as fill ports or vents. Because the buildings had been removed long ago and the city records contained little pertinent information, it was impossible to determine the tanks original purposes. The tanks contained mostly water and what appeared to be weathered gasocontained mostly water and constituents in the contaminated line. The presence of gasoline constituents in the contaminated soil leads us to conclude that the material stored was gasoline.

Since the soil was originating from Essex County, no in-state disposal site was available, and preparations were made to dispose of the soil out-of-state. However, the expense of out-of-state disposal made this infeasible. More recently, the Hacken-state disposal made this infeasible. More recently, the Hacken-state disposal made this infeasible as made us aware that it sack Meadowlands Development Commission has made us aware that it may be willing to accept this material for use as cover, providing that it is classified as ID-27 and approved for use as cover by NJDEP. The analytical results submitted previously were for samples collected during the early part of excavation. They came samples collected during the early part of excavation. They came from some of the most heavily contaminated soil encountered in the area immediately surrounding the tanks. The samples were originally intended for approval for out-of-state disposal.

Based on our telephone conversation of May 1, 1990, we propose to collect additional samples to help the Department make its determination as to the classification of the waste soil. The soil is currently stockpiled in one (1) area on site. The stockpile covers an area of approximately 40,000 square feet. A grid will be superimposed over the stockpile which will divide it into 30 squares of approximately 1,300 square feet surface area. Five (5) discrete samples will be collected from various depths in each square. These discrete samples will be composited into a single sample for each square. This will result in the collection of 30 separate waste characterization samples, each representing approximately 500 cubic yards of soil.

Mr. Charles D'Amico May 2, 1990 Page Three

Each sample will be analyzed for the following parameters:

EP-Toxicity Metals (Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium, Silver)

Sulfide Reactivity

Cyanide Reactivity

Total Petroleum Hydrocarbons

pН

Percent Solids

Corrosivity

Ignitability

Polychlorinated Biphenyls (PCBs)

The samples will be collected in accordance with NJDEP approved procedures as outlined in the attached methodology summary. All analytical work will be performed by an NJDEP-certified analytical laboratory. Chain-of-custody documentation and all appropriate quality assurance/quality control documentation will be supplied.

Results for these samples will be tabulated and supplied to the Department as a supplement to the original classification request.

A check in the amount of \$200.00 has been enclosed to cover the Sampling Plan review fee. If you have any questions regarding this plan, please call me at your convenience.

Sincerely,

Michael McGowan Senior Geologist

MM:cp

Enclosure

cc: Mr. Glenn Ward, K. Hovnanian Co.

# WASTE CLASSIFICATION SOIL SAMPLING PROCEDURES

The following information details the Waste Classification Soil Sample Collection Procedures. These procedures represent methods utilized to ensure the validity of soil samples collected at the site.

The composite soil samples will be collected in the following manner:

### Equipment:

- o Two, 4-inch O.D., stainless steel hand auger;
- o Two, stainless steel hand trowels;
- o 5-quart stainless steel mixing bowl;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (1 gallon);
- o Acetone (1 gallon);
- o Plastic spray bottle applicators;
- o Wide-mouth, amber glass jars with teflon-lined screw caps;
- Sample cooler/ice packs

### Procedure:

- 1) One (1) composite soil sample will be collected each 100 public yards of excavation spoils. Each composite sample will be made up of four (4) individual soil samples. The soil samples will be collected from different boring depths to attain the most accurate representation of the waste spoils.
- The auger will be advanced to the desired sampling depths, and the auger controls will be placed into a stainless steel mixing bowl. Following the collection of four (4) soil samples, the contents within the bowl will be thoroughly emptied on a bench-kote paper and divided into quarters. Only one quarter will be placed into a sampling far.

- Jpon completion of the sampling for that particular drum, the auger will be scrubbed clean, using alconox and distilled water mixture. After scrubbing, the auger will be rinsed with a alconox/distilled water mixture and then rinsed again with distilled water. The auger will be rinsed with acetone to remove any residual materials, allowed to air dry, then given a final rinse of distilled water. The hand trowel and mixing bowl will also be decontaminated following the same procedures between sample collection.
- 4) The soil sample for laboratory analyses will be placed into a wide-mouth amber jar with a teflon-lined screw cap. A sample label will be prepared showing the sample number, date, and analysis to be conducted. A Chain-of-Custody Control form will also be prepared.
- The soil sample bottles will be placed into a storage cooler at 4°C (ice packs) for transport to the J M Sorge, Inc. offices located in Somerville, MJ. The samples will be refrigerated until transferred to the laboratory for analysis.

		property and the second second second second	
2276	212	200 E	
و المواقعة في المواقعة	J.M. SORGE, INC. SO COUNTY LINE ROAD SOMERVILLE, NJ 08978	PAY DATE OF REMAINER STATE OF NEW JERSEY.  ONDER OF LUNGGE OF AND JERSEY.  DOLLA	MIDLANTIC NATIONAL BAILE NATIONAL BAILE NATIONAL SOME SOME AND ASTR CARE SOME NATIONAL PARTIES NO SOME NATIONAL PARTIES NATIO



## State of New Jersey

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF HAZARDOUS WASTE MANAGEMENT
CN 028

Trenton, N.J. 08625-0028 (609) 633-1408 Fax # (609) 633-1454

MAY 10 1990

Mr. Michael McGowen Senior Geologist J.M. Sorge, Inc. 50 County Line Road Somerville, N.J. 08876

Re: Waste Soil Classification Sampling Plan
K. Hovnanian Co., University Heights Project
Newark, New Jersey

Dear Mr. McGowen:

In response to your letter of May 2, 1990 to Mr. Charles D'Amico, requesting an approval of your sampling plan, please be advised that the plan is acceptable with regard to the number of samples proposed, thirty (30), with each sample representing approximately 500 cubic yards of soil.

Additional parameters for E.P. Toxicity herbicides and pesticides must be performed on each sample, or a signed statement that none of the aforementioned herbicides and pesticides were ever used, spilled or otherwise discharged at the site must be submitted to the Bureau.

According to Bureau policy, if total petroleum hydrocarbons exceed 1000 ppm for any sample, the Bureau reserves the right to request that sample to be analyzed for a complete EPA Priority Pollutant Scan with the exception of those parameters previously analyzed. Lastly, a multiplication factor of 5 will be applied to all results, since 1/5 of the required number of samples are to be analyzed. Should results exceed action levels or legal limits, additional sampling may be required.

Should you have any questions or require additional information please contact me at (609) 292-8341.

Very truly yours,

David Schrier, Principal Environmental Specialist Bureau of Hazardous Waste Regulation and Classification

KH0V005738

PR14:nb

New Jersey is an Equal Opportunity Employer Recycled Paper



## SAMPLING PLAN ADDENDUM

The original Sampling Plan, dated May 2, 1990, and approved on May 10, 1990, was employed again in the evaluation of the stockpiled soil for which we are currently seeking classification. However, we have made the following variations in the plan:


- Each composite sample is representative of approximately 300 cubic yards of material as opposed to 500 cubic yards specified in the original plan;
- The suite of analytical parameters for which each sample was analyzed was expanded to include the complete TCLP organics.

These changes served to give a more accurate assessment of the material and provide a more complete analysis consistent with current regulatory requirements.

# ATTACHMENT 2 LABORATORY ANALYTICAL REPORT

Note:

Sample SS-3 contained lead at a concentration slightly exceeding the regulatory level. In order to verify this unexpected result, a second composite sample, designated SR-3, was collected from the original SS-3 area. Sample SR-3 contained no detectable quantities of leachable lead. The laboratory analytical report for Sample SR-3 follows that of the original samples.



# APPENDIX A BORING AND TEST PIT LOGS



## BORING LOG

J M SORGE INC (Page 1 of 1)

							(Page f of 1)
BORING NO.	: P403-	-2		LOC	ATION	: Bl. 403	
JOB NUMBER: 92050				PRO	JECT:	K. HOVNANIAN	
DRILLING C	ONTRAC	CTOR:	MILLTOWN D	RILLING	AND	EXCAVATION	
DRILLING M	ETHOD:	test	pit			DRILLER: A. U	NTAMO
BIT SIZE/T						SAMPLER: A. H	HEFFRON
SAMPLER T	YPE:					INSPECTOR: T	. BER
HAMMER WE	IGHT:			DRIL	LING	DATES	ELEVATION:
STROKE LE	NGTH:		ST	ART: 7/7.	/92	FINISH: SAME	TOTAL DEPTH: 7
PROFILE	NUMBER	SAMPL REC.		DEPTH	MATER	STI	RATIGRAPHY
0.00.0						Reddish black	loamy soil with
							shale fragments.
0. 0. 0. 0				-2	ГΙ		
0.0.0	S403-1					weathered re-	d shale at bottom.
.0 .0 .0			İ	T4	ΓΙ		
0.00.00							
0. 00. 0				-6			
<del>· · · · · · · · · · · · · · · · · · · </del>					1	Dallas of Dil	
				-8	<b>F I</b>	Bottom of Pit	
				-	1	8	
		-		H0	<b>H</b>		
				-	1		
				H2	- 1		
				}	+ 1		
				H4	- 1		
				-	- 1		
				H6	- 1		
96					- 1		
28				H8	- 1		
					- 1		
				-20			
							Q0
•				22			
				-22			
				0.4			
-				-24	ΓΙ		
				1	1		
				-26	-		
				<u> </u>	1		
				-28	- 1		
				-	1		KHOV005744
				-30	L		



	LOCATION:	Bl. 403
BORING NO.: P403-3	TODO IECT. K	HOVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTOWN DRI	LLING AND E	DRILLER: A. UNTAMO
DRILLING METHOD: test plt		SAMPLER: A. HEFFRON
BIT SIZE/TYPE: 4" DRAG		INSPECTOR: T. BER
SAMPLER TYPE:	THE D	IELEVATION.
HAMMER WEIGHT:	DRILLING D	FINISH: SAME TOTAL DEPTH: 7
STROKE LENGTH: STAR		
	DEPTH \$	STRATIGRAPHY
NUMBER THE		Reddish black loam. Weathered
	. [	red shale at bottom.
	2	Ted shale of
\$403-1	-4	*
	6	
	-8 -1	Bottom of Pit
	. [	
	40	
	12 -	
	44 - 1	
	H8 -	
	HB -	
	120	
	-20	
	-22	
	ta. t	
	-24	
	-26	
	too t	
	28	WIAVACETAE
	-30 <u>+</u>	KH0V005745



l-:

#### BORING LOG

									(rayerory	
BORING NO	.: P404	-1			LOC	ATI	ON:	Bl. 404		
JOB NUMBE								. HOVNANIAN		
				DRIL	LING	AN	D E	XCAVATION		
DRILLING N							$\perp$	DRILLER: A. U		
BIT SIZE/		DHA	3				$\dashv$	SAMPLER: A. H		
HAMMER WE					DDTI	1 Thi		INSPECTOR: TATES		
STROKE LE			ST					INISH: SAME	ELEVATION: TOTAL DEPTH: 8	
OTHORE EL	T	CAMPI		T	0/2	1	<del>' '</del>	THIOH, SAME	TOTAL DEFIN: 0	
PROFILE	NUMBER	SAMPI REC.	BLOWS/8 IN	DE	PTH	HATER		STF	RATIGRAPHY	
N 00 00								Grey/black loa	amy soil and	
0.00.00	1			-2				construction of		
0000	1			[ -				Jonati de tion e	ICUIIS.	
0 0 0 0 0	1									
0,000				1		L				
0.0.0.0.0				-6		L				
0000										
N. O. N. O. N.				-8						
۵				_			E	Bottom of Pit		
				10		L				~
				- 10						
				-12						
				- '-						
				H4		-				
						-				
				-16						
				L .		_			(x)	
				-18						
•				.0				*)		1
				-20						
										- 1
				-22		_				
										1
1				-24		_				
1				-		.				
-	1			-26						
1	1			-						
				-28						- 1
				-		.			VU01/00E746	
		1		_30		_			KH0V005746	

## BORING LOG

2104.0	LOCATION:	Bl. 404
BORING NO.: P404-2	DOO IECT . K	HOVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTOWN DRI	LLING AND E	DRILLER: A. UNTAMO
DRILLING METHOD: test pit		SAMPLER: A. HEFFRON
BIT SIZE/TYPE: 4" DRAG		INSPECTOR: T. BER
BIT SIZE/TIFE. 4 DIME		
SAMPLER TYPE:	DRILLING D	IA I LU
HAMMER WEIGHT: STROKE LENGTH: STAR	T: 8/28/92 1	FINISH: SAME TOTAL DEPTH: 9
	-n-1. 5	STRATIGRAPHY
PROFILE NUMBER REC. BLOWS/6 IN	EPTH \$	0
NUMBER HEC. BEOMOTO IN		Grey/black loamy soil and
V-0-V-0-V	+ 1	Grey/Diack today son cive
0000	2 - 1	construction debris.
0.0.0.0	- -	W. alax
ELECTION L	a	Red/brown silty clay.
17.77.77.7	7 11	
17.7.7.7.7.7		1
12/2/2/2		*
2/2/2/2		
12/2/2/2/3	8	
1, 1, 1, 1, 1, 1		Bottom of Pit
	40	Bottom C.
	• • • •	
	-12	
	H4	-
	1	
	H8 -	2
	H8 +	*
	[ ' ]	
	-20	*
	20	
	-22	
	ta. I	
	-24	
	t t	
	-28	
	+ +	
	-28	W.LAUARE7.47
	+ +	KH0V005747
	-30 F	



:

#### BORING LOG

							14000000 - 000 WASHAN		
BORING NO	.: P405-	-1		LC	CATIO	ON: Bl. 405			
JOB NUMBE				PF	PROJECT: K. HOVNANIAN				
DRILLING C	ONTRA	CTOR:	MILLTOWN	DRILLIN	IG AND	EXCAVATION			
DRILLING M	ETHOD:	test	pit			DRILLER: A. UN	TAMO		
BIT SIZE/		DRA	G			SAMPLER: A. HE			
SAMPLER T	YPE:					INSPECTOR: T.			
HAMMER WE				DR	ILLING	DATES	ELEVATION:		
STROKE LE	NGTH:		ST	ART: 8/	24/92	FINISH: SAME	TOTAL DEPTH: 8		
PROFILE	i	SAMPI REC.	ES BLOWS/8 IN	DEPT	HATER	STRA	ATIGRAPHY		
A D. A. D. A.			T			Dod/heave lase			
00000			1	t	r l	Red/brown loan			
N. D. N. D. N.				-2	-	construction de	ebris.		
0.0.00			j ·	+	+				
1.00.00				-4	<b>i</b>				
0.0000			1	-	+ 1				
N. O. N. O. N.	j		1	6	-				
	İ				+	Bottom of Pit			
j	1			8	- 1				
	į				+ 1				
	1			40	L 1				
	]				L 1				
į	•			-12	LI			1	
	į			12				ļ	
}		ĺ		4.4	Ī		15	:	
į				-14				İ	
	1	í						i	
į	Í	;		-18	- 1			l	
1	į	;	1	-	+ 1			1	
1				- <del>1</del> 8	r i			i	
1	ļ		İ		+			İ	
1		}	+	-20	- 1			į	
	!	i	+		- 1				
	Ì	ì	+	-22	-			- !	
	i	i	1					!	
į	1	1	Ĺ	-24				i	
	1	i	-	4				į	
1	į			20	1			ţ	
İ		}	. 1	-26	Fi				
į	:	•	1			8			
i e	į	1	-	-28				:	
ŧ.	1	1	į		-		KH0V005748	į	
1			L	30	· i				



....

V ...;

# BORING LOG

DORING NO. P405-2   LOCATION: BIL 405     JOB NUMBER: 92050   PROJECT: K. HOVNANIAN     DORILLING CONTRACTOR: MILLTOWN DRILLING AND EXCAVATION     DRILLING METHOD: test pit   SAMPLER: A. HEFFRON     DISTINGTIFE: 4" DRAG   INSPECTOR: T. BER     SAMPLER TYPE: 4" DRAG   INSPECTOR: T. BER     SAMPLER TYPE: A" DRAG   INSPECTOR: T. BER     SAMPLER TYPE: A" DRAG   INSPECTOR: T. BER     SAMPLER TYPE: A" DRAG   INSPECTOR: T. BER     STROKE LENGTH: SAMPLES   STRATT: 8/24/92   FINISH: SAME   TOTAL DEPTH: 8     STROKE LENGTH: SAMPLES   INSPECTOR: T. BER     STROKE LENGTH: SAMPLES   STRATTIGRAPHY     PROFILE   NUMBER REC. BLOWS/8 IN DEPTH   Red/brown loamy soil and construction debris.     OP 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0									$\dashv$
JOB NUMBER: 92050  DRILLING CONTRACTOR: MILLTOWN DRILLING AND EXCAVATION  DRILLING METHOD: test pit  DRILLING METHOD: test pit  SAMPLER: A. HEFFRON  DRILLING DATES  SAMPLER TYPE:  DRILLING DATES  SAMPLES PROFILE  START: 8/24/92  FINISH: SAME  STRATIGRAPHY  DEPTH  Red/brown loamy soil and construction debris.  Bottom of Pit  -10  -12  -14  -16  -18  -20  -22  -24  -26  -28  KHOV005749		D40F 3			LOCA	TION	Bl. 405		$\dashv$
DRILLING CONTRACTOR: MILTONN CITETATE A. UNTAMO DRILLING METHOD: test pit BIT SIZE/TYPE: 4" DRAG SAMPLER TYPE: HAMMER WEIGHT: STROKE LENGTH: PROFILE NUMBER REC. BLOWS/8 IN DEPTH  BY 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	BORING NO.:	1405-2			PROJE	CT:	K. HOVNANIAN		-
DRILLING METHOL): Test II SAMPLER: A. HEFF HON BIT SIZE/TYPE: 4" DRAG SAMPLER TYPE:  SAMPLER TYPE:  HAMMER MEIGHT:  STROKE LENGTH:  SAMPLES NUMBER REC. BLOMS/8 IN  DEPTH  STROKE LENGTH:  SAMPLES NUMBER REC. BLOMS/8 IN  DEPTH  STRATIGRAPHY  Red/brown loamy soil and construction debris.  Red/brown loamy soil and construction debris.  Red/brown loamy soil and construction debris.	JOB NUMBER	NTRAC	TOR: N	ILLTOWN D	RILLING	AND E	T DOTLLER: A LIN	ГАМО	
BIT SIZE/TYPE: SAMPLER TYPE: HAMMER WEIGHT: STROKE LENGTH: SAMPLES NUMBER REC. BLOMS/6 IN PROFILE  OPEN OF 0.0.0.0  OPEN OF 0.0.0  OPEN OPEN OPEN OPEN OPEN OPEN OPEN OPEN	DRILLING M	ETHOD:	test p	olt			SAMPLER: A. HE	FFRON	
SAMPLER TYPE:  HAMMER WEIGHT:  STROKE LENGTH:  SAMPLES  NUMBER REC. BLOWS/6 IN  O	BIT SIZE/T	YPE: 4"	DRAG				INSPECTOR: T.	BER	_
HAMMER WEIGHT:  STROKE LENGTH:  SAMPLES PROFILE  NUMBER REC. BLOWS/6 IN  -2  -4  -4  -8  -10  -12  -14  -16  -18  -20  -24  -26  -28  KHOV005749	SAMPLER TY	YPE:			DRILL	ING	DATES	IELEVATION:	
SAMPLES   DEPTH   STRATIGRAPHY   ST	HAMMER WE	IGHT:		ST	ART: 8/24	/92	FINISH: SAME	TOTAL DEPTH: 8	
PROFILE NUMBER REC. BLOWS/8 IN DEFIN   * 0 * 0 * 0 * 0 * 0 * 0 * 0 * 0 * 0 *	STROKE LE					1 1		ATTODADHY	
**************************************	PROFILE	•		ES	DEPTH	MATE	214	ATIONALITI	
-2 - construction debris.  -2 - construction debris.  -4 - Bottom of Pit  -8	PHOFILE	NUMBER	REC.	BLOWS/8 IN		1-		my soil and	
**.0 * .0 * .0 * .0 * .0 * .0 * .0 * .0					-	- 1	Red/brown loa	my son and	
-4					-2	- 1	construction a	edris.	
6 Bottom of Pit  -8	0. 0. 0.				-	+ 1			
-810121418202224262828 - KH0V005749	0.000	,			4	- 1			
-810121418202224262828 - KHOV005749	. 6 . 6 . 6				-	+ 1			
-8 -10 -12 -14 -18 -18 -20 -22 -24 -24 -28 -28	0.00.00				-6		- · · · - · · · · · · · · · ·		
-10 -12 -14 -18 -18 -20 -22 -24 -26 -28 - KHOV005749		1			}	+ 1	Bottom of Pil		
-12 -14 -16 -18 -20 -22 -24 -26 -28 -28					-8	- 1			
-12 -14 -16 -18 -20 -22 -24 -26 -28			1		-	+			
-12 -14 -16 -18 -20 -22 -24 -26 -28					10	-			
-14 -18 -20 -22 -24 -26 -28 - KHOV005749					-	-		5	
-14 -18 -20 -22 -24 -26 -28 - KHOV005749					-12	-			
-16 -18 -20 -22 -24 -26 -28 -28					-	+			
-18 -20 -22 -24 -26 -28 -28					14	-			
-18 -20 -22 -24 -26 -28 -28					-	+			
-18 -20 -22 -24 -26 -28 -28					-16	-			
-20 -22 -24 -26 -28 KH0V005749						+			
-20 -22 -24 -28 -28 -KHOV005749					-18	-			
-22 - -24 - -26 - -28 - KHOV005749					-	+			
-22 - -24 - -26 - -28 - KHOV005749					-20	-			
-24 -26 -28 KH0V005749					-	-			
-24 -26 -28 KH0V005749					-22	-			
-28 - KHOV005749				1	-	-		*	
-28 - KHOV005749					-24	-			
-28 KHOV005749					-	}			
-28 KHOV005749					-26	-	: <sub>2</sub>		
KHUVUU07/43				1	-	-	*		
KHUVUU3/49					-28	-		A mm AA	
	ω.				1	+		KH0V005749	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					-30	-			



				(Page 1 of 1)
BORING NO.: P405-3	LO	CATION	: Bl. 405	
JOB NUMBER: 92050	PR	OJECT:	K. HOVNANIAN	
DRILLING CONTRACTOR: MILLTO	WN DRILLIN	IG AND I	XCAVATION	
DRILLING METHOD: test pit			DRILLER: A. UNTAMO	
BIT SIZE/TYPE: 4" DRAG			SAMPLER: A. HEFFRON	
SAMPLER TYPE:	11 11		INSPECTOR: T. BER	
HAMMER WEIGHT: STROKE LENGTH:		ILLING I		
	START: B/	24/92	FINISH: SAME TOTAL I	DEPTH: 6
PROFILE NUMBER REC. BLOWS/6	DEPTH	MATER	STRATIGRAP	HY
.0.0.0.0			Red/brown loamy soil ar	24
			construction debris.	IU
	[2		construction debris.	
.0.0.0.0				
0.000	[**			
. 6 . 6 . 6	-6		V	
			Bottom of Pit	
	-8		Bottom of Th	
			e e	
	-10			
1 1 1	Πυ .			
1 1	-12		(C)	
	[2			
-	-14			
	[74			
	-18			
		ГІ		
	-18			
		ΓΙ		1
	20			
	[20			
	[ 22			1
	-22	ГІ		1
	-24		**	
	-			
	-26	F   '		
	1	t 1		
	-28	<b>F</b>	VUOLO	05750
	1 22		KHOVO	U010U
	<u> </u>	L		1

### BORING LOG

BORING NO.: B408-1  JOB NUMBER: 92050  DRILLING CONTRACTOR: MILLTOWN DRILLING AND EXCAVATION  DRILLING METHOD: SOLID STEM AUGER  BIT SIZE/TYPE: 4" DRAG  SAMPLER TYPE:  HAMMER WEIGHT:  STROKE LENGTH:  PROFILE  SAMPLES  NUMBER REC. BLOWS/6 IN  B400-1  B400-1  LOCATION: BI. 400-1  PROJECT: K. HOVNANIAN  DRILLING AND EXCAVATION  ORILLER: A. UNTAMO  SAMPLER: A. HEFFRON  INSPECTOR: ANDREW BER  SAMPLES   ELEVATION: TOTAL DEPTH: 6  STRATIGRAPHY  SIİty loam with construction debris  Yellowish to reddish brown silty sand with fine gravel  End of Boring.  End of Boring.
JOB NUMBER: 92050  DRILLING CONTRACTOR: MILLTOWN DRILLING AND EXCAVATION  DRILLING METHOD: SOLID STEM AUGER  BIT SIZE/TYPE: 4" DRAG  SAMPLER TYPE:  HAMMER WEIGHT:  STROKE LENGTH:  SAMPLES  NUMBER REC. BLOWS/6 IN  PROFILE  NUMBER REC. BLOWS/6 IN  B400-1  B400-1  DRILLING DATES  FINISH: SAME  DEPTH  STRATIGRAPHY  Silty loam with construction debris  Yellowish to reddish brown silty sand with fine gravel  End of Boring.
DRILLING CONTRACTOR: MILLTONIS CHILLERS AND BIT SIZE/TYPE: 4" DRAG BIT SIZE/TYPE: 4" DRAG SAMPLER TYPE: DRILLING DATES HAMMER WEIGHT: START: 7/9/92 FINISH: SAME TOTAL DEPTH: 6  PROFILE NUMBER REC. BLOWS/6 IN DEPTH START: 7/9/92 FINISH: SAME WITH CONSTRUCTION debris  PROFILE NUMBER REC. BLOWS/6 IN PROFILE START: 7/9/92 FINISH: SAME TOTAL DEPTH: 6  STRATIGRAPHY SITURD DATES STRATIGRAPHY STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY STRATIGRAPHY SITURD DATES STRATIGRAPHY STRATIGRAPHY SAMPLES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SITURD DATES STRATIGRAPHY SAMPLES STRATIGRAPHY SITURD DATES STRA
DRILLING METHOD: SOLID STEM ADDELY   SAMPLER: A. HEFFRON   INSPECTOR: ANDREW BER   SAMPLER TYPE:   DRILLING DATES   ELEVATION:   STROKE LENGTH:   START: 7/9/92   FINISH: SAME   TOTAL DEPTH: 8
BIT SIZE/TYPE: INAG SAMPLER TYPE:  HAMMER WEIGHT:  STROKE LENGTH:  PROFILE  SAMPLES NUMBER REC. BLOMS/6 IN  PROFILE  STRATIGRAPHY  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  STRATIGRAPHY  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  STRATIGRAPHY  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  GEBEN ANDREW BER  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  SIİLY İOAM WİTH CONSTRUCTION  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6  TOTAL DEPTH: 6
SAMPLER TYPE:  HAMMER WEIGHT:  STROKE LENGTH:  SAMPLES PROFILE  SAMPLES NUMBER REC. BLOWS/6 IN  PROFILE  SAMPLES NUMBER REC. BLOWS/6 IN  PROFILE  SAMPLES NUMBER REC. BLOWS/6 IN  PROFILE  SAMPLES NUMBER REC. BLOWS/6 IN  PROFILE  STRATIGRAPHY  Silty loam with construction debris  Yellowish to reddish brown silty sand with fine gravel  Find of Boring.  Find of Boring.
HAMMER WEIGHT:  STROKE LENGTH:  SAMPLES PROFILE NUMBER REC. BLOWS/6 IN  PROFILE NUMBER REC. BLOWS/6 IN  STRATIGRAPHY  SIRTY INSH: SAME TOTAL DEPTH 5  STRATIGRAPHY  Silty loam with construction debris  Yellowish to reddish brown silty sand with fine gravel  BROWN SAMPLES PROFILE NUMBER REC. BLOWS/6 IN  PROFILE NUMBER
STROKE LENGTH:  SAMPLES PROFILE NUMBER REC. BLOWS/6 IN  -2 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3 -3
Silty loam with construction debris  Yellowish to reddish brown silty sand with fine gravel  Barrier B
Yellowish to reddish brown silty sand with fine gravel  B408-1  Find of Boring.  -4  Find of Boring.  -10  -12  -14  -16  -18  -18
-8 -10 -12 -14 -18 -18 -18 -18 -18 -18 -18 -18 -18 -18
-10 -12 -14 -18 -18
-12 -14 -16 -18
-14 -16 -18
-18 -
-18
-20
-22
-24 -
26
-28 KH0V005751



#### BORING LOG

							· .	(Page 1 of 1)			
	BORING NO.	: B408	-2		LO	LOCATION: BI. 408					
1	JOB NUMBE					PROJECT: K. HOVNANIAN					
						G AND	EXCAVATION				
				D STEM AUG	BER	1/2	DRILLER: A. UNTAMO				
1	BIT SIZE/T		' DRAC	3			SAMPLER: A. HEFFRON				
-	SAMPLER T						INSPECTOR: ANDREW BER				
-	HAMMER WE						DATES ELEVATI				
-	STROKE LEI	VGTH:		ST	ART: 7/	9/92	FINISH: SAME TOTAL D	EPTH: 10.5	_		
-	PROFILE		SAMPL REC.	ES BLOWS/8 IN	DEPT	HATER	STRATIGRAPI	ΗY	1		
	.0.0.0			1		L	Reddish-brown silty loar	n with	-		
1					-2	L	construction debris.	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	i		
1	.000						constituction debits.	ı,	İ		
1	* 0 * 0 * 0				-4	-	1				
1					-6		Reddish- brown silty sar				
1.				1	-	- 1	gravel and construction	debris.	i		
	. : . : . : .	8				-			-		
ŀ						-			-		
1	.0.0.0				-10		Reddish-brown clayey s	ilt with	1		
	ĺ	B406-2				+	shale fragments and rub	ble.	-		
					-12	- 1	Bottom of boring.		i		
1	į		į			1	Bottom of borning.				
	į	Ì			-14	1			!		
-	-	į	1		10	1			1		
	ļ	-	ļ		<del>-1</del> 6				:		
1	i		j		- -18						
		i	!		10				1		
			]	i	-20				!		
				į		1					
		i I		-	-22						
	1		İ	-					!		
-	į		į	.	-24	- 1		,	;		
		ĺ			20				!		
-			1	Ī	-26	F			-		
1			a managa-gapa-		-28	-			-		
1						+ 1	KHOVO	05752			
1		- 1		1	-30	-	25				



	(Fage 1010
	LOCATION: Bl. 406
BORING NO.: B408-3	DROJECT: K HOVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTOWN DR	ATILING AND EXCAVATION
DRILLING CONTRACTOR: MILL TOWN BY	DRILLER: A. UNTAMO
DOT! I THIS ME I HULL SULID SI CITY	SAMPLER: A. HEFFRON
RIT SIZE/TYPE: 4 DRAG	INSPECTOR: ANDREW DET
SAMPLER TYPE:	DRILLING DATES ELEVATION: TOTAL DEPTH: 6.5
HAMMER WEIGHT:	RT: 7/9/92 FINISH: SAME TOTAL DEPTH: 6.5
STROKE LENGTH:	DEPTH STRATIGRAPHY
PROFILE NUMBER REC. BLOWS/6 IN	
000	Silty loam with construction
.0.0.0	debris.
EFCFS SS	and sand
	Silty, clayey yellow-brown sand
10000000	with fine gravel.
	Dark grey/brown silty sand with
B408-3	1 Constant
	8 - fine gravel.
	End of Boring.
	H0 F   1100 01 20 110
	+
	H2 -
	44 -
	H6 -
	H8
	-20
	-22 -
	-24
	-28
	20 1/10/005550
	-28 KH0V005753
	H30 H



						. It against t					
BORING NO				Loc	CATI	ION: Bl. 408	_				
JOB NUMBE				PRO	PROJECT: K. HOVNANIAN						
DRILLING C	ONTRA	CTOR:	MILLTOWN	DRILLING	RILLING AND EXCAVATION						
			D STEM AU	3ER		DRILLER: A. UNTAMO	-				
BIT SIZE/1		" DRA	G			SAMPLER: A. HEFFRON	_				
SAMPLER T						INSPECTOR: ANDREW BER	_				
HAMMER WE				DRI	LLIN	NG DATES ELEVATION:	_				
STROKE LE	NGTH:		ST	ART: 7/8	1/92	FINISH: SAME TOTAL DEPTH: 11.0	_				
PROFILE	NUMBER	SAMPI REC.	LES BLOWS/8 IN	DEPTH	MATER						
0.000				-2 -4	  -  -  -	Dark grey silty loam with construction debris.					
				-6 -8	<u> </u>	Brown/yellow-brown silty, gravelly sand.					
	B408-4			-10 -10	-	Reddish-brown silty sand with minor gravel.					
	B400-4			<del>-1</del> 2	-	End of Boring.					
				<b>-</b> 14 -	-	a .					
25				- <b>1</b> 6	-						
				<del>-1</del> 8	-	×					
				-20	-						
				-22	-						
	v.			-24	$\lfloor                   $						
		-		-26	-	*					
			F	-28	F		-				
				-30		KH0V005754					



#### BORING LOG

	LOCATION: BI. 408	
BORING NO.: B408-5	DROJECT: K HOVNANIAN	
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTOWN DR	THING AND EXCAVATION	
DRILLING CONTRACTOR: MILLIOWN DE	DRILLER: A. UNTAMO	
DOTI I THE METHOD: SULID STEIN AST	CAMPLER: A. HEFFRUN	
BIT SIZE/TYPE: 4" DRAG	TNSPECTOR: ANUNER DER	
SAMPLER TYPE:	IFLEVATION.	
HAMMER WEIGHT:	RT: 7/9/92 FINISH: SAME TOTAL DEPTH: 9.50	
STROKE LENGTH:		
	DEPTH STRATIGRAPHY	
WOMBER	Dark grey silty sand.	
00000	Grey/brown silty sand with	
0 . 0 . 0	Grey/Diowit site) debrie	
0.0.00	construction debris.	
0.000	Grey/brown silty, gravelly sand	
	Grey/prowit sity, gration,	
0.0.0.0	6 with construction debris.	
	Yellow/brown silty, clayey sand	
	- Yellow/brown sity, city of	
	with fine gravel.	
0.0.0.0.0.0 0.0.0.0.0.0.0 B406-5		
	Dark brown silty sand with fine	
	H2   gravel.	
	End of Boring.	
	H4	
	H6	
	48 +	
	-20 -	
	F20 [ ]	
	-22 -	
	t	
	-24 -	
	h	
	-26 - 1-	
	28 - 1	_
	F <sup>28</sup> [ KHOV00575	5
	H30 H I	



									1, 580 , 0.	
BORING NO.	: B408	-8						Bl. 408		
JOB NUMBE								. HOVNANIAN		
DRILLING C						AND	) E)			
DRILLING M			-	M AUG	3ER		$\Box$	DRILLER: A. UNT		
BIT SIZE/T		DRAG	3					SAMPLER: A. HE	A-11	
SAMPLER T								INSPECTOR: ANI	<del></del>	
HAMMER WE								ATES	ELEVATION:	
STROKE LE	NGTH:			ST	ART: 7/9	/92	F	INISH: SAME	TOTAL DEPTH: 7.5	
PROFILE	NUMBER	SAMPL REC.	ES BLOWS	/8 IN	DEPTH	WATER		STRA	TIGRAPHY	
0.0000					-2	-		Grey-brown silt construction de	T. LUNG OG MAGNEGAMMY	
• .0 • .0 • .0 • .0 • .0 • .0					-4 -6	- - -				
	B408-8				<del>-</del> 8		E	End of Boring.		
	ż		7.		H0	- 1				
		. · · ·	į.		<del>-1</del> 2	-				
-		2			14	$\lfloor \  \  \rfloor$	E			
The state of the s					-16	-				
					-18	-				
					-20					
8					-22	-				
					-24					
					-26					
					-28			,		
					-30	_			KH0V005756	



f (

1 to 1 to 1

# BORING LOG

$\dashv$
$\dashv$
-
$\dashv$
-
$\dashv$
_



Seal ...

i...i

#### BORING LOG

BORING NO	.: B408	-8		LO	CATIO	N: Bl. 408		_
JOB NUMBE	R: 9205	0		PR	OJECT	: K. HOVNANIAN		
DRILLING C	ONTRA	CTOR:	MILLTOWN	DRILLIN	G AND	EXCAVATION		
			D STEM AU	GER		DRILLER: A. UN	ГАМО	_
BIT SIZE/T	YPE: 4	" DRA	G			SAMPLER: A. HE	FFRON	-
SAMPLER T	YPE:					INSPECTOR: AN	DREW BER	
HAMMER WE				DRI	LLING	DATES	ELEVATION:	_
STROKE LE	NGTH:		ST	ART: 7/9	9/92	FINISH: SAME	TOTAL DEPTH: 10.5	
PROFILE	NUMBER	SAMPL REC.	ES BLOWS/8 IN	DEPTH	MATER	STRA	TIGRAPHY	
0.0.0		>		-2 -4	-	Yellowish-brown construction de	bris.	
0.0000	Ť			-6 -8	-	Grey-brown to silty, clayey san debris.		
0.00.00	B406-8			-10 -10				55
		*		-12 -	-	End of Boring.		
				H4 -	FI			
-				Hβ -	-			
				<b>⊣</b> 8 -				
				<del>-</del> 20	-			
				<del>-</del> 22	-1			
				-24	-			
				<del>-</del> 26	[- ]			
				<del>-</del> 28	F			
				-30 -		×	KHOV005758	- 1



...

1.50

#### BORING LOG

	B408-9			LOCA	TION:	BI. 408			
BORING NO.:	92050			PROJE	PROJECT: K. HOVNANIAN LING AND EXCAVATION DRILLER: A. UNTAMO				
JOH NUMBER	NTRACT	OR: N	ILLTOWN D	RILLING A	ND F	DRILLER: A. UNTAMO			
DRILLING CO	THON: S	OLID	STEM AUG	ER		SAMPLER: A. HEFFRON			
BIT SIZE/T	VDE. 4" [	RAG				INSPECTOR: ANDREW BER			
BIT SIZE/	IFE. Y					DATEC IFLEVALION.			
SAMPLER T	TGHT.			DRILL	ING	DATES ELEVATION: FINISH: SAME TOTAL DEPTH: 11.0			
HAMMER WE	NGTH:		STA	ART: 7/10	/92	FINISH. SAME			
STROKE LE	S	AMPL		DEPTH	HATER	STRATIGRAPHY			
PROFILE	NUMBER	REC.	BEOM3/0 III	-	++	Black coal ash and loam.			
HE THE PROPERTY.				-	+ 1	Black coal asil alla locui			
14 14 14	4			-2	+1		_		
性性性性	4			1	1-	in a like a like			
4 4 4	4			4	1	Red/brown gravelly silt.			
					1				
				[0	LI				
	.]			-6					
			1.	T _					
				-8		Soft reddish shale.			
	7 1			+	+ 1	3017 1244			
	7		1	H0	-				
	7	-		-	-	5 d of Poring			
	B408-9			12	-	End of Boring.			
				-	F				
				14	-				
		1		1	-				
1				-16	-				
1		1		[ 10	1				
				10	L				
				H8					
				1	Γ				
				20		2			
			1	+	t				
				-22	1				
		1		+	+				
				-24	-				
		1		-	+				
				-26	-				
				-28	L	-			
				[20	-	KH0V005759			
			1	30	L	Milotoois			
1		- 1	1	-30					



							(Page 1 of t)
BORING NO	.: P407-	-1		LC	DCATI	ON: Bl. 403	
JOB NUMBE				PF	ROJEC	T: K. HOVNANIAN	
DRILLING C	ONTRA	CTOR:	MILLTOWN	DRILLI	NG ANI	DEXCAVATION	
DRILLING M						DRILLER: A. U	UNTAMO
BIT SIZE/T		" DRAC	3			SAMPLER: A.	
SAMPLER T						INSPECTOR:	T. BER
HAMMER WE						G DATES	ELEVATION:
STROKE LE	NGTH:		ST	ART: 7/	/9/82	FINISH: SAME	TOTAL DEPTH: 10
PROFILE	NUMBER	SAMPL REC.	ES BLOWS/6 IN	DEPT	H MATER	ST	RATIGRAPHY
			,	-2	-	Dark yellow/li loam.	ight brown sandy
K				-4	-	Light brown s	ilty loam.
			t.	-6		Weathered re	d shale with sandy
PPPPPP	1			-8			
neren eren				-	1		
राज्या स्थापन	- 1			-10			
	1				L	Bottom of Pit	
				-12	-		e a
				-14 -	-		
				<del>-1</del> 6	F I		
				<b>-1</b> 8			
				<del>-</del> 20	$\begin{bmatrix} - \end{bmatrix}$		
8				<del>-</del> 22	$\begin{bmatrix} - \end{bmatrix}$		
				-24	[-]	,	
				-28	[-		
				-28 -30		¥	KH0V005760



			(Page 1 of U
	LOCATION:	Bl. 408	
ORING NO.: P408-1	PRO IECT. K	HOVNANIAN	
OB NUMBER: 92050 RILLING CONTRACTOR: MILLTO	WN DRILLING AND E	XCAVATION	71110
RILLING CONTRACTOR. MILLIO		DRILLER: A. UN	TAMO
RILLING METHOD: test plt		SAMPLER: A. HE	PER
IT SIZE/TYPE: 4" DRAG		INSPECTOR: T.	ELEVATION:
SAMPLER TYPE:	DRILLING D	DATES	TOTAL DEPTH: 8
HAMMER WEIGHT:	START: 7/8/92	FINISH: SAME	TIOTAL BELTIL
STROKE LENGTH:  SAMPLES PROFILE NUMBER REC. BLOWS	DEPTH E		ATIGRAPHY
10,000		Fill material.	Clayey unsorted
0000	+ + +	sand and debi	ris
10000	F2	sand and depr	110.
20,00	+ + 1		
10000	H4   1		
( a ( a )	F 1		
13030	H6 H I		W .
0.000	+ + 1		
0.0.0.0	H8 H	- 11 - 6 DH	
	<b> </b>	Bottom of Pit	
	H0 -		
	[" ] ]		
	H2 - 1		
	["		
	I.a L		80
	H4 [ ]		
	H8 F	3	
	H8 F		
	t t		
	20		
	h h		
	-22		
	<b>-</b> -		
	-24		
	-		
	-26		
	1-0		£
	-28		
	[20	1	KH0V005761
	30 -		111101000101



P.

#### BORING LOG

							(Page I of I)
BORING NO.:				LOCA	TION	Bl. 408	2
JOB NUMBER:				PROJ	ECT:	K. HOVNANIAN	
DRILLING COM			DRILL	ING	AND E		
DRILLING ME						DRILLER: A. UN	
BIT SIZE/TY		<del>j</del>				SAMPLER: A. H	
SAMPLER TYP		<u>-</u>		וומר	TNIC E	INSPECTOR: T.	The state of the s
STROKE LENG		s	TART:			FINISH: SAME	ELEVATION: TOTAL DEPTH: 8
PROFILE	SAMPL	.ES		770, TH	MATER		
M. S. M. S. M.	JMBER REC.	BLOWS/8 IN	UL:	117	¥ ¥	214	ATIGRAPHY
00000			-	}			layey unsorted
0000			-2	f	-	sand and debr	is.
0.0000			4		-		
0.00000		8	-	ł			
00000		e G	-8	ļ			
N. O. N. O. N.			-8	ŀ	+		
			10	r		Bottom of Pit	
			H0				
			12				
			14	F			
			H6	Ė			
			-	-			
			H8				
			-20	-			-
			-22	ŀ			×
			- 22	F			
			-24	F			
			-28	F			
			100	t			
			-28	上			KH0V005762
			30			ä	VIIOAOOOLOT
			130				

17; ],2;

# BORING LOG

						, .
DODENIC NO	· PADR-3	1		LOCA	TION:	BI. 408
BORING NO. JOB NUMBE	0. 02050			PROJ	ECT: K	. HOVNANIAN
JOH NOWBE	ONTRAC	TOR: N	ILLTOWN D	RILLING	AND E	CAVATION DRILLER: A. UNTAMO
DRILLING M	ETHOR	test D	It			DRILLER: A. ONTARIO
BIT SIZE/	VDE: A"	DRAG				SAMPLER: A. HEFFRON
BIT SIZE	VDE:	Diino				INSPECTOR: T. BER LELEVATION:
SAMPLER T	TOUT:			DRIL	LING [	MILO
HAMMER WE	NOTU:		STA	ART: 7/8/	/92	FINISH: SAME TOTAL DEPTH: 9
STROKE LE	1 :	SAMPL		DEPTH	95	STRATIGRAPHY
PROFILE	NUMBER	REC.	BLOWS/9 IN		+-+	Clavey upsorted
0.0.0.0.0	-			L	-	Fill material. Clayey unsorted
0000	4			-2	-	sand and debris.
0.0000	)-					
0000	4				LI	
0000	)·			T4		
0.00	द			1		Coal ash and burnt wood.
00	2			-6		
. 0 . 0 .	0	1		<b>†</b>	1	Red/brown silty clay with
0. 0.	0			8	- 1	cobbles, gravel, and sand.
	ó			-	1-4	Copplest 8. 2. 2.
منمسن				10	- 1	Bottom of Pit
		1		[	+ 1	
1				12	L 1	
			1	L15	LI	
				1		
	-			-14		
				<b>†</b>		
				HB		
				-	t	
		-		-18	-	
			1		-	
				-20	-	
				[ 20	L	
				[ 00	L	
	1			-22	Γ	
1						
				-24	1	
	,			+	+	
				-28	F	
	1			-	-	
	1		1	-28	-	
	1			-	1	KHOV005763
1	1	1	1			



٠.:

#### BORING LOG

			**************************************
BORING NO.: P408-4		THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN	TION: Bl. 408
JOB NUMBER: 92050		PROJE	CT: K. HOVNANIAN
DRILLING CONTRACT	ORT BILL TOWN	DHILLING A	
BIT SIZE/TYPE: 4"			DRILLER: A. UNTAMO
SAMPLER TYPE:	DRAG		SAMPLER: A. HEFFRON
HAMMER WEIGHT:		DRILLI	INSPECTOR: T. BER NG DATES   ELEVATION:
STROKE LENGTH:	SI	ART: 7/8/9	
I PROFILE 1	AMPLES REC. BLOWS/8 IN	DEPTH	STRATIGRAPHY
V. 00 V 00 V			Fill material. Clayey unsorted
0.00.00		-2	· · · · · · · · · · · · · · · · · · ·
0.000			sand and debris.
0.000		F4 F	Red/brown silty sand with
		F .	cobbles, and pebbles.
0.00.00		H6 H	
.0.0.0.0		F -	
0.0.0		H8 H	*
.0.0.0		F -	
0.0.0		H0  -	
		+ +	Bottom of Pit
		H2 -	
		<b>}</b>	
*		14	
		<b>+ +</b>	
		H8 -	
		<b>†</b>	
		-18	
		<b>-</b> -	
		-20 -	180
		<b>-</b>	
		-22 -	
		-24 -	Ψ.
		-26	
		-28	
		20	
		-an L	KH0V005764



BORING NO .:	P408-5	<u> </u>		PPO II	CT. K	BI. 408 HOVNANIAN	
PROFILE NUMBER REC. BLOWS/6 IN					AND E	XCAVATION	
ORILLING CO	TUR.	ALL TOTAL			DRILLER: A. UNTAMO		
DRILLING ME	THOU:	DDAG	110			SAMPLER: A. HEFFRON	
BIT SIZE/I	YPE: 4	UNAU				INSPECTOR: T. BER LELEVATION:	
SAMPLER IN	PE.					JA 1 L 3	H: 10
HAMMEN WE	IGTH.		ST	ART: 7/8/	92	FINISH: SAME TOTAL DEPT	
		SAMPL	ES BLOWS/6 IN	DEPTH	HATER	STRATIGRAPHY	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NUMBER	NEG.		-2		Fill material. Coal ash and soil, layered with remnant a paving.  Fill material. Clayey unsort	asphait
00000	S408-15			-8	E	sand and debris.	
				-8	F )	Bluish, stained clay. Stron odor.	g PHC
				10		Weathered red/brown shall sandy silt.	e and
				-12	-	Bottom of Pit	
				14	-		
				18	-		
				H8			
				-20 -22			
				-24	-	,	
				- -28	-		
				-28	+	1//143	
				-30		KHOV	/005765



						(Page 1 of 1)			
BORING NO.	: P408-	-8		IL	OCATI	ON: Bl. 408			
OB NUMBE	R: 9205	0			PROJECT: K. HOVNANIAN				
DRILLING C	ONTRA	CTOR:	MILLTOWN (	DRILLI	ING AN	D EXCAVATION			
DRILLING M						DRILLER: A. UNTAMO			
BIT SIZE/T	YPE: 4'	' DRAG	3			SAMPLER: A. HEFFRON			
SAMPLER T	YPE:					INSPECTOR: T. BER			
AMMER WE				D	RILLIN	G DATES ELEVATION:			
TROKE LE	NGTH:		ST	ART: 7	7/8/92	FINISH: SAME TOTAL DEPTH: 7			
PROFILE	NUMBER	SAMPL REC.	ES BLOWS/8 IN	DEP	TH H	STRATIGRAPHY			
0.0.0				-2 -4	-	Fill material. Coal ash and loamy soil, layered with-remnant asphalt paving.  Fill material. Clayey unsorted sand and debris.			
.000			2	В	-	Bottom of Pit			
				10	F				
				H2	-	å.			
				-14 -	}				
				-16 -	-				
				⊢18 -	-				
				<del>-</del> 20	F	·			
				<del></del> 22 -	-				
			*	<del>-</del> 24	<b> </b>				
				-26 -	-				
	٠			-28 - -30	-	KHOV005766			

.

# BORING LOG

		(Page 1 of o
7.100 #	LOCATIO	N: BI. 408
BORING NO.: B408-11	PROJECT	K HOVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLT	OWN DRILLING AND	EXCAVATION
DRILLING CONTRACTOR: MILLI	M AUGER	DRILLER: A. UNTAMO
TOTILITIES METHOD: SULID SIL	M ADDELL	SAMPLER: A. HEFFRON
BIT SIZE/TYPE: 4" DHAG		INSPECTOR: A. HEFFRON
SAMPLER TYPE:	DRILLING	DATES ELEVATION:
HAMMER WEIGHT:	CTART: 8/24/92	FINISH: SAME TOTAL DEPTH: 23
STROKE LENGTH:		
SAMPLES	DEPTH S	STRATIGRAPHY
NOMBER INC.		Black/grey clayey fine sand.
THE PARTY IN	-2 -	
TETETE	[ -	
100-11A		
THE PARTY IN	74	
THE PROPERTY OF		
408-18	<del>  6</del>   <del>-</del>	Red/brown fine sandy clay with
		fine gravel. Water at 12-15 ft.
1919191	H8 -	fine gravei. Nater at it is
1 61 61 6	<b>}</b>	
	H0 -	
7,67,67,69		
7 17 11 6		}
17/7/1	H2 -	Z
262626	F I	
11/11/11	H4 -	
122222	h t	
12.62.62.63	H8 -	
JAJA A	<b> </b>	
177777	H8 -	
7.67.67.63		
17 17 17 1		
1297979	-20	
161616	t t	
	-22	
12929291	<b>}</b>	- i (Coring
	-24	End of Boring
	20	_
	-28	
	t	[ * ]
	-28	KH0V005767
	}	וסופטטעטחא
	-30	



ij.,

#### BORING LOG

			A Company of the Comp						(Page 1 of 1)	
BORING NO	.: B408			LOC	ATI	ON:	Bl. 408			
JOB NUMBE					PRO	PROJECT: K. HOVNANIAN				
	DRILLING CONTRACTOR: MILLTOWN DRIL									
DRILLING M		-		AUGE	R			DRILLER: A. UN		
BIT SIZE/1		" DRAI	<u> </u>					SAMPLER: A. H		
SAMPLER T		-						INSPECTOR: A.		
HAMMER WEIGHT:								ATES	ELEVATION:	
STROKE LE	NG IM:			SIAH	1: 8/2	4/9	2 -	INISH: SAME	TOTAL DEPTH: 5.5	
PROFILE	NUMBER	SAMPI REC.	ES BLOWS/	8 IN C	EPTH	WATER		STR	ATIGRAPHY	
				<b>,</b>	,	-	K'	Concrete, aspl	halt paving.	
eren eren er Eren eren eren Eren eren er	408-12A				1	E		Unsorted sand debris.	with gravel and	
	408-128				3	_	1	Reddish/brown	sandy clay.	
			1	-		-	1	End of Boring		
				-	}	F				
				H	0	-				
		5		H	2	-				
				H.	4	-				
				-10	3					
				H	3	-				
				-2	0					
				ŀ						
				-2	۷	F				
				-2	4					
				-2	8	-	-			
				-2	В	$\lceil \cdot \rceil$				
					0				KH0V005768	



								$\dashv$
	7.400 13			LOC	ATION: E	31. 408		$\dashv$
BORING NO.:	B408-13			DDO	JECT. K	HOVNANIAN		$\dashv$
JOB NUMBER	CHITDACT	OR: M	ILLTOWN	DRILLING	AND EX	DRILLER: A. UN	TAMO	$\neg$
DRILLING CO	ETHON: S	OLID	STEM AL	JGER		SAMPLER: A. H	FFFRON	
BIT SIZE/T	YPE. 4" [	RAG				INSPECTOR: A	HEFERON	
SAMPLER T	/PE·	11					ELEVATION:	
HAMMER WE	TGHT:			DRI	LLING D	ALES	TOTAL DEPTH: 5.5	
STROKE LE	NGTH:		S	TART: 8/2	24/92 F	INISH: SAME		
STRUKE EE		AMPLI	FS	הבחדו	MATER	ST	RATIGRAPHY	
PROFILE	NUMBER		BLOWS/8 I	DEPTH	1   \( \frac{1}{2} \right) \)	<b>3.</b>		
I NOT TEE	NUMBER	neu.	DEOMO, C		+=	Canarata		
- 6- 4- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-				}	1 1	Concrete.		-
1	1			-2	H.	Black/brown	coarse sand and	
	408-13A			-	L R	gravel.	1 1000	
	1			-4	- F 1\			-
	7			-	+ 1	Dark brown/r	ed clay with some	1
	408-138			-6	FX	sand.		į
	100				+ 1	Saliu.		-
				-8	- 1	End of Boring	g	
					1	The state of the s		
				10				
				Lo				
				1.0				
				12				
				T				
				H4				
				<b>†</b>	1			
				<del>  1</del> 8	Fi			
	-			t	T 1			
				H8 '	+ 1			
				+	t 1			
				-20	F 1			
	1			-	+ 1			
				-22	- 1			
181					-			
				-24	_			
1				[ -	1			
				-28	L			
				720				
				100	L			
	1			-28			KHOV005769	
			Ì	100	, L			
1	1	1	1 '	- 130	) [	1		



W. W.

ur.

#### BORING LOG

							(rage i or i	U
BORING NO	.: B408	-14			LOC	ATIO	ION: Bl. 408	
JOB NUMBE	R: 9205	50			PRO	JEC.	CT: K. HOVNANIAN	
					ING	ANI	ND EXCAVATION	
-			D STEM AUG	SER.			DRILLER: A. UNTAMO	
BIT SIZE/T	-	" DRA	G				SAMPLER: A. HEFFRON	
SAMPLER T							INSPECTOR: A. HEFFRON	
HAMMER WE		-					NG DATES ELEVATION:	
STROKE LE	NGTH:		ST	ART:	8/24	1/92	92 FINISH: SAME TOTAL DEPTH: 5.5	
PROFILE	NUMBER	SAMPI REC.	LES BLOWS/8 IN	DEF	PTH	MATER	STRATIGRAPHY	
SQUIQUIQUIQUIQUI						-	Concrete.	
THE TRUE TO				-2		_		
	408-14A			-		-	Red/brown sandy clay.	
				4		-		
مان طاعل طاعل العمل طاعل به الرحم الرحم الرحم الرحم				-		-		
	408-148			-6			Ford of Donland	-
			· .	-			End of Boring	
				-8				1
				H0				
			6.1					
				<del>-1</del> 2				
				12		.		
				-14		_		1
				1-4				1
1				-18				-
1				10		_		Ì
~				40				ļ
				-18		-		i
								j
1				<del>-</del> 20		-	,	
ĺ				•	ı	1		1
				-22	1	-	28	- 1
1	l				1	.		ĺ
	1		1	-24	İ	-		i
		Ì	·	1	H	1		
	1		<b> </b>	-26	H	-	1	
	į				}	.		ļ
			ŀ	-28	+	-		
į		1	ŀ	•	H	.	KH0V005770	
1	- 1	1	L	30		_ [	1.00.00	



#### BORING LOG

			LOCA	TION:	Bl. 408	
BORING NO.:	B408-20		DDO IE	CT. K	HOVNANIAN	
JOB NUMBER	ATTO ATTITUE D	ATI L TOWN D	RILLING A	AND E	XCAVATION	AMO
DRILLING CO	THOD: SOLID	STEM AUG	ER		DRILLER: A. UNT	EEDON
DRILLING ME	PE: 4" DRAG				SAMPLER: A. HEI	FEERON
BIT SIZE/I	TPE. 4 DITAG				INSPECTOR: A. H	ELEVATION:
SAMPLER TY	CUT.		DRILL	ING C	ATES	TOTAL DEPTH: 11
HAMMER WEI STROKE LEN	ICTH.	ST	ART: 7/10/	/92 F	FINISH: SAME	TOTAL
PROFILE	SAMPL	ES BLOWS/8 IN	DEPTH	HATER	STRA	ATIGRAPHY
PROFILE	NUMBER REC.	BLONS/0 III	-	-	Descrip grayelly	loam
POPULACE.			+	-	Brown gravelly	100
大大大大			-2	- 1		
地上			-	+		
			4	- 1		
		1		+ 1		
	]		-6	- 1		
	]			1		€ "
			-8	1		
	3	1	Po			
			100			
			H0			
F. F. F. F. F.	B408-20		1,0		End of Boring	¥
			12			
			<b>.</b>			
			H4	ΓΙ		Te.
			<b>.</b>			
			<del>  1</del> 6			
	1 1		t			
		Ì	H8	-		
		1	ŀ	t		
		1	-20	-		
		1	-	+		
			-22	-		
			-	-		
			-24	-		
			-	-		
			-28	-		
			1	-	800)	
1			-28	-		
			1	L		KH0V005771
			30	-		
1	1 1		130			to consider a management of the constant of th



....

#### BORING LOG

Carrier State							a.	(Page 1 of I)	
BORING NO	D.: B408	-21		1	OCA	TION	Bl. 408		_
JOB NUMBE						-	. HOVNANIAN		-
DRILLING	CONTRA	CTOR:	MILLTOWN I	DRILL	ING A	ND E	XCAVATION		_
			D STEM AUG				DRILLER: A. UN	TAMO	_
BIT SIZE/	TYPE: 4	" DRAG	3				SAMPLER: A. HE		_
SAMPLER T	YPE:						INSPECTOR: A.		
HAMMER WE	EIGHT:			D	RILL	ING D	ATES	ELEVATION:	-
STROKE LE	NGTH:		ST	ART: 7	7/10/	92 F	INISH: SAME	TOTAL DEPTH: 11	_
PROFILE	1	SAMPL REC.	ES BLOWS/6 IN	DEP	ТН	HATER	STRA	ATIGRAPHY	
				-2	-		Dark brown gra	velly loam.	_
				4					
				-8	E		3lack/tan very	fine sandy clay.	
				-10	-		Red/brown clay fragments and (	ey silt with shale gravel.	
	B408-21			- -12 -	-		End of Boring		
*				<b>-14</b> -	-				
				- <b>1</b> 8 ·	-				
			}	<del>-1</del> 8	-				
			}	<del>-</del> 20	-				-
		9	-	-22	1				
		7.		-24	-				-
				-26	-	-			
			-	-28	L			KH0V005772	
				-30	L			MINAMONIT	-

#### BORING LOG

	1	01.400				
BORING NO.: B408-22	LOCATION:	LOCATION: BI. 408 PROJECT: K. HOVNANIAN				
JOB NUMBER: 92050	PROJECT: K	VCAVATION				
PER LENG CONTRACTOR MILL JUMN DOLL	LLING AND E	DRILLER: A. UNTAMO				
DRILLING METHOD: SOLID STEM ACCENT		SAMPLER: A. HEFFRON				
BIT SIZE/TYPE: 4" DRAG		INSPECTOR: A. HEFFRON				
SAMPLER TYPE:	DRILLING D	ATES   ELEVATION:				
HAMMER WEIGHT:	T: 7/10/92	FINISH: SAME TOTAL DEPTH: 11				
STRUKE LENGTH.		·				
SAMPLES	EPTH E	STRATIGRAPHY				
PROFILE NUMBER REC. BLOWS/8 IN	3					
000	1	Dark brown gravelly loam and				
0.00.00	2 -	coal ash with construction				
0.000	2 [ ]	debris.				
	, []	GODING.				
0.00.00	4 []					
0.00.00	_ [	× 2				
100000	6					
1	_ [ ]					
0.00.00	8 -	8				
0.000	1					
	40					
0.0.0.0.0 B408-22	1-1	End of Boring				
8400-22	12	End of Borning				
	·					
	-14 F					
	.					
	-18 F I					
	HB -					
	-20 -	2				
	-22					
	[					
	-24 -					
	24					
	-26					
	-28	KH0V005773				
	t t	KWAAAAA				
	H30 -					



BORING NO.: B408-23 LOCATION: Bl. 408											
JOB NUMBE					OCATION: BI. 408 ROJECT: K. HOVNANIAN						
			MILL TOWN	DELL TA	IG AND	EXCAVATION					
DRILLING M					NO AINL		INTANO				
BIT SIZE/T				בו		DRILLER: A. U					
SAMPLER T		DIIA				INSPECTOR:					
HAMMER WE				DR	TIITN	DATES	ELEVATION:				
STROKE LE		<del></del>	ST	ART: 7/		FINISH: SAME	TOTAL DEPTH: 11				
	T	CAMDI		1		TITION DAME	TOTAL BEFTER				
PROFILE	NUMBER	SAMPL REC.	BLONS/8 IN	DEPT	HATER	ST	RATIGRAPHY				
0. 0.0 0.0						Red/brown a	ravelly loam with				
							-				
0. 0. 0. 0				-2		construction	debils.				
0. 00 .00							9				
0 0 0				74							
11.77.77.77				-6		Diock /don 6:n.	a conducator				
			· ·			DIACK/ (AIT IIII)	e sandy clay.				
11/1/1/1/				-8							
					1						
(1.77.77.77.				<b>H</b> 0	<b>F</b> 1						
2., 2., 2., 2., 2.,	B408-23				1-						
	-			-12	- 1	End of Boring	7	l			
				-	+ 1						
* 1		1		-14	- 1			1			
1				-	+ 1			i			
		1		-18	- 1						
1		1		•	+ 1			1			
				-18	F 1	Ÿ					
		1	1		+ 1			1			
l		i	- 1	-20	- 1						
			1		1			İ			
1		1		-22	LI			İ			
	1		1				30				
			[	-24				į			
			[	24							
			Ī	00		620		-			
i			Ī	-26				1			
		}	ľ		†			İ			
ĺ	1		.	-28	F						
					+ 1		**************				
	1		b	-30			KH0V005774				



#### BORING LOG

LOCATION: BI. 408												
BORING NO.	SURING NO. DAGG ET											
JOB NUMBER	8: 92050	TOD: 1	4TL   T.C	WAL D	DILL THE	AND I	EXCAVATION					
DRILLING CO	ONTRAC	TOR: N	CTEV	MINIC	DRILLER: A. UNT	ГАМО						
DRILLING ME	ETHOU:	SOLIL	SIEM	AUG	rii		SAMPLER: A. HE					
BIT SIZE/T		DHAG					INSPECTOR: A.					
SAMPLER TY					DRILL	TNG	DATES	ELEVATION:				
HAMMER WE	IGHT:			ST	ART: 7/10/		FINISH: SAME	TOTAL DEPTH: 11				
STROKE LE				317								
DDOCTIE	1	SAMPL			DEPTH	HATER	STRA	ATIGRAPHY				
PROFILE	NUMBER	REC.	BLOWS	/8 IN		E						
000							Brown loam with	n coal ash and				
0.00.0							construction de					
- A - A - A - A - A - A - A - A - A - A					-2		CONSTITUTION CO					
The the the the							Red/brown gra	velly silt.				
14 14 14 14					-4							
"是一种"					<b>†</b> _							
1000000	i i				<del>-</del> 6	<b> </b>						
			-		<b>†</b>	1						
连连连	The The The The The The The The The The				8	-	11 11 h Ale	o sondy silty				
1.77.77.77	1				+	+	Light-brown fir	le salidy, silty				
1.7.7.7.7.7.7.7.	1				H0	- 1	clay.					
1.1.1.1.1.1.	3				-	-						
	B408-24				-12	- 1	End of Boring					
						+ 1						
			1		-14	- 1						
						- 1						
		1			H6	1						
					1.0	1						
					-18	LI						
	1	i										
		1										
					-20		30					
					1							
					-22							
			1		ŗ	1						
	İ		i		-24	-						
			į		ł	-						
					-26	+		*				
	i				-	+						
					-28	-						
		!			-	L		KH0V005775				
1					20							



								(rage I of t)		
	BORING NO.	: B409-	-1		LOC	LOCATION: Bl. 409				
	JOB NUMBER			****		PROJECT: K. HOVNANIAN				
				MILLTOWN E	RILLING	LING AND EXCAVATION				
				D STEM AUG			DRILLER: A. U	OMATAL		
	BIT SIZE/T	YPE: 4'	DRAG	3			SAMPLER: A.	HEFFRON		
	SAMPLER T	YPE:					INSPECTOR:			
	HAMMER WE	IGHT:			DRIL	LIN	3 DATES	ELEVATION: -		
	STROKE LE	NGTH:		ST	ART: 7/10	/92	FINISH: SAME	TOTAL DEPTH: 11		
	PROFILE	NUMBER	SAMPL REC.	.ES BLOWS/8 IN	DEPTH	HATER	st.	RATIGRAPHY		
	N. D. N. D. N.						Brown silty lo	oam with construction		
	00000					ſ	debris.	dir With Constituction	-	
	N. 50 N. 50 N.				-2	Γ	deblis.		1	
	THE PERSON NAMED IN				1		Dark brown/h	plack clayey silt with	1	
				1	<del>-4</del>	Γ		nack clayey slit with	-	
1							pebbles.		-	
-					-6					
				e e		-	Dod/harra	and all talls about	1	
-	erenere e				-8	<b> </b>		ayey silt with shale	İ	
	ererere e					<b> </b>	fragments. W	later at 10 ft.		
	PREFERE				H0	-₹				
		B409-1				-				
-	<u> </u>			*	-12	-				
1	PERFERENCE					-			-	
-	WWW.W.W.				-14	-				
-	<u> </u>				L .	-			-	
ŧ					-16	-			1	
ŀ								9	-	
f	الله الله الله الله الله الله				-18	L			-	
İ	الله الله الله الله الله الله الله الله				1.0	L				
İ	المرحمة المنطق المرحمة المرحمة المرحمة المرحمة المرحمة المرحمة المرحمة				-20				į	
1					20		End of Boring	7	1	
1					22		Lind of Dorning		1	
					-22				1	
i										
					-24		*			
			20		-	-				
1					-26	+	-			
					-	-				
					-28	-				
İ		-		•	-	L		1 PRESA		
1					-30	-		KH0V005776		



		7		
D400-3	LOCATION: BI. 409			
BORING NO.: 8409-2  JOB NUMBER: 92050	PROJECT: K. HOVNANIAN	$\neg$		
THE CONTRACTOR MILLIONN DIVE	ILLING AND EXCAVATION DRILLER: A. UNTAMO			
DRILLING METHOD: SOLID STEM AUGER	SAMPLER: A. HEFFRON			
BIT SIZE/TYPE: 4" DRAG	INSPECTOR: A. HEFFRON			
SAMPLER TYPE:				
HAMMER WEIGHT:	THE TRUE DATES			
STROKE LENGTH: STAR	RT: 7/10/92 FINISH: SAME TOTAL DEPTH: 11			
	STRATIGRAPHY			
	DEPTH STRATIGRAPHY			
PROFILE NUMBER REC. BLOWS/8 IN	Red/brown loam with pebbles.	-		
777777	Red/brown today with pession			
	-2 Grey/tan clay.	-		
	-4 - Slightly clayey red/brown silt			
	with minor coarse sand and fine	1		
HANNEY H	-6   gravel.	1		
\(\frac{1}{2}\frac{1}{				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-8 <del> </del>	- (		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	1		
	-10 -	_		
		_		
B409-2	H2   End of Boring			
	L'*	1		
	H4 - 1			
	L' <sup>-7</sup>			
	16			
	48			
	<del>-20</del> <del>-</del>			
	-22 -			
	t			
	-24 -			
	+ +			
,	-26 <del>  </del>			
	+ + 1 -			
	-28			
	KHOV005777			
	30 - 1	_		



#### BORING LOG

BORING NO	.: B409	-3		LOC	LOCATION: Bl. 409				
JOB NUMBE						: K. HOVNANIAN	2		
					AND	EXCAVATION			
DRILLING M				GER		DRILLER: A. UN	TAMO		
BIT SIZE/T		" DRAC	3		SAMPLER: A. HEFFRON				
SAMPLER T						INSPECTOR: A.	HEFFRON		
HAMMER WE				DRIL	LING	DATES	ELEVATION:		
STROKE LE	NGTH:		S	ART: 7/10	/92	FINISH: SAME	TOTAL DEPTH: 11		
PROFILE	NUMBER	SAMPL REC.	ES BLOWS/8 IN	DEPTH	WATER	STRA	ATIGRAPHY		
N. 00 N. 00 N.						Grey/black load	m with		
00000		1							
N. D. N. D. N.		l		-2		construction de	edris.		
0 00 00				-4	F				
				<b>†</b>	1				
				-6	<b>H</b> I	Grey/tan clay.		- 1	
				<b>†</b>	<del>                                     </del>				
				8	H 1	Red/brown clay	ey silt with shale	1	
				+	1	fragments.			
				H0	- 1	00 <del>0</del> 00			
	B409-3		117.1	-					
				12	- 1	End of Boring			
				-	- 1	_		İ	
8	l			H4	-				
				1				i	
				-16					
	1							1	
- [		1		H8				-	
7	]	i		10				-	
\$	i	-						1	
	İ	1		-20				•	
	1	1		1				ļ	
Í	į	]		-22	-				
i	[	į		t	- j			-	
	1			-24	-				
					- {			i	
ĺ	1	- 1		-28	-   -			1	
}				}	- ]			-	
j				-28	-			-	
İ	i			-	-				
				-30	-		KHOV005778 _		
<u>-</u>							WIOAAAA1W	.1	



	P400-4			LOCA	TION	: Bl. 409		
BORING NO.: JOB NUMBER	92050			PROJE	ROJECT: K. HOVNANIAN			
CI	CALTONI	OR: N	ILLTOWN D	RILLING A	AND	EXCAVATION DRILLER: A. UNT	ΓΔΜΟ	
DRILLING ME	THOD: S	OLID	STEM AUG	ER		SAMPLER: A. HE	FFRON	
BIT SIZE/T	YPE: 4" C	RAG				INSPECTOR: A.	HEFERON	
SAMPLER T	(PE:			22711	TNIC		ELEVATION:	
HAMMER WE	IGHT:					DATES FINISH: SAME	TOTAL DEPTH: 11	
STROKE LE	NGTH:		ST	ART: 7/10/	1			
	S	AMPL	ES	DEPTH	HATER	STR	ATIGRAPHY	
PROFILE	NUMBER I	REC.	BLOWS/8 IN	DLI	¥			
	1					Red/brown silt	y loam with minor	
	1			<b>!</b>		shale fragment	s.	
				-2	1	Strate tragment		
4 4 4 4				t	1	a 9		
4 4 4 4 -	]			-4	1			
	1			+	† 1			
	1			-6	F 1			
				-	+ 1			
	1		1	-8	-			
				1	-	0	•	
4				10	7			
			C					
44	B409-4		1	12	L	End of Boring		
				72				
				1,,	L			
				H4				
				Ť.,	Ī			
		t I	1	H6				
			ļ	+	t			
				<del>  1</del> 8	+			
				<u> </u>	+			
		1		-20	-			
1				-	r			
1				-22	-			
	ļ		1		+			
				-24	<u> </u>			
				1 2 3				
	İ			-26		<b>(a)</b>		
	1	1		720	L			
	1			100				
				-28	T		KHOV005779	
					Γ		KHOADADIIA	
1	į.	1	1	1-30	-			



BORING NO.	: B409-	-5		LOC	CATIC	ATION: Bl. 409			
JOB NUMBE	R: 9205	0			PROJECT: K. HOVNANIAN				
					3 AND	DEXCAVATION			
DRILLING M				BER		DRILLER: A. UN			
BIT SIZE/T		DRAG	3			SAMPLER: A. HE			
SAMPLER T						INSPECTOR: A.			
HAMMER WE			GT			G DATES	ELEVATION:		
STROKE LE	1			ART: 7/1	_	FINISH: SAME	TOTAL DEPTH: 11		
PROFILE	NUMBER	SAMPL REC.	ES BLOWS/8 IN	DEPTH	WATER	STRA	ATIGRAPHY		
14 14 14 14				-	-	Red-brown loan	n with gravel.		
4 4 4 4				-2	_				
		Reference		-4	-	Grey/black clay gravel.	yey silt with some		
			5	-6		Tan/black fine	sandy clay,		
				-8	-	damp. Some gr	avel.		
				10	L	Red/brown clay	rey, sandy silt.		
	B409-5			12		End of Boring			
				-14	-		~		
				-16	-				
				-18	<u> </u>				
				-20	_1				
			*	-22	-				
				-	-				
				24					
				-26	1				
				-28	1	a)			
) 				20	F		<b>KHUNUUU</b> E280		



# BORING LOG

J M SORGE INC (Page 1 of 1)

		(Page 101 U
2100.0	LOCATION: BI.	409
BORING NO.: 8409-6	DOO JECT K HO	OVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTO	WN DRILLING AND EXC	VATION
DRILLING METHOD: SOLID STEM	AUGER D	RILLER: A. UNTAMO
DRILLING METHOD. SOLID STEE	S	AMPLER: A. HEFFRON
BIT SIZE/TYPE: 4" DRAG		NSPECTOR: A. HEFFRON ES ELEVATION:
SAMPLER TYPE:	DRILLING DAT	
HAMMER WEIGHT:	START: 7/10/92 FIN	ISH: SAME   TOTAL DEPTH: 11
STROKE LENGTH:  SAMPLES PROFILE NUMBER REC. BLOWS	OEPTH HE	STRATIGRAPHY
		own silty loam with gravel and bbles.
	Re	ed/brown silt with gravel and ebbles.
	6 BI	ack/tan to tan/black silty ay.
6,	B	ed/brown clayey silt with shale ragments.
B409-6	h 1—	
1000	12 - 5	ind of Boring
	14	
	-16	
	18	
	+ +	g.
	20 - 1	
	22	
	24	
	-26	
	28	
	-30	KH0V005781



1 :

### BORING LOG

J M SORGE INC (Page 1 of 1)

BORING NO.	.: P409	-1			LOC	ATIC	N:	Bl. 403		
JOB NUMBE								. HOVNANIAN		
				DRIL	LING	AND	) E)	XCAVATION		
DRILLING M								DRILLER: A. UN		
BIT SIZE/T		" DRAG	3				_	SAMPLER: A. HE		
SAMPLER T								INSPECTOR: T.		
HAMMER WE								ATES	ELEVATION:	
STROKE LE	NGTH:		S	TART	7/10	/92	F	INISH: SAME	TOTAL DEPTH: 8	
PROFILE	1	SAMPI REC.	ES BLOWS/8 IN	DE	PTH	HATER		STR	ATIGRAPHY	
N. O. N. O. N.							,	Clausey silty la	om with	
00,000				1		1		Clayey, silty lo		
N. S. N. S. N.				-2			(	construction de	edris.	
0.000				Ι.						
N. O. N. O. N.				14		<b> </b>				
0.00.00			9	1		-				
0000				-6		- 1				
0.20.20				<b>†</b>		t 1				
V. V. V. V. V				-8		$\vdash$				-
				1		- 1	E	Bottom of Pit		
				H0		<b>-</b>		. 5		
				ŀ		- 1				
				12		-				
				-		- 1				
				14		-				
	1961			-		-				
				-16		-				-
				-		-				
			34	18		_				
				-		-				
				-20		-				
				1		_				
			N.	-22		_				
						_				
				-24		_				
			7	[24						
1				Lae						
				-26			•			
				20						1
				-28		-				
				Lan					KHOVOOE792	1



# BORING LOG

J M SORGE INC (Page 1 of U

2.10.2.04002	LOCATION	: Bl. 403
BORING NO.: P409-2	PPO IECT	K HOVNANIAN
JOB NUMBER: 92050 DRILLING CONTRACTOR: MILLTOWN	DRILLING AND	EXCAVATION
DRILLING METHOD: test pit		DRILLER: A. UNTAMO
BIT SIZE/TYPE: 4" DRAG		SAMPLER: A. HEFFRON
SAMPLER TYPE:		INSPECTOR: T. BER  PATES   ELEVATION:
THE WETCHT	DRILLING	UAILO
STROKE LENGTH: S	TART: 7/10/92	FINISH: SAME TOTAL DEPTH: 8
SAMPLES	DEPTH S	STRATIGRAPHY
PROFILE NUMBER REC. BLOWS/8 II	N DEPTH	
NUMBER REG. SECTION	-	Clayey, silty loam with
10.00	+ + 1	construction debris. Water at
00000	-2 -1	
1. 2. 2. 2.	+ + 1	bottom of pit.
000000	H4 H	
N. 29. 29.	1 1	
0.00.00	-6 - 1	
N. 50 0 0		
0.00.00	8	
V. O. V. V. V		Bottom of Pit
	H0 F	1
.		
	H2	
	t	
	H4 F	
	h t	
	H6 +	
	<b>h h</b>	
	H8 -	
	<b>+</b> +	
	-20 H	w.
	-22 -	
	[24	
	-24	
	724	
	-28	
	t <sub>aa</sub> f	
	-28	KH0V005783
	t t	KUOADDATOO
	<u></u>	

# APPENDIX B STANDARD SAMPLING PROCEDURES

# TRUCK MOUNTED AUGER SAMPLING PROCEDURES

Soil borings were advanced using a truck mounted, solid stem auger rig. Soil samples were collected by standard hand auger techniques in the following manner:

#### Equipment:

- o Truck mounted sold stem auger rig;
- o Two, 8-inch length, stainless steel hand trowels;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (2 gallons);
- o Acetone (1 gallon);
- o Two (2) plastic spray applicators;
- o Wide-mouth, amber glass jars and septum vials with teflon-lined screw caps;
- o Sample cooler/ice packs;
- o Bentonite pellets.

- A truck-mounted, solid stem auger rig was used to advance the boring to a point above the desired sampling depth;
- The soil materials encountered during the boring were logged by the geologist as they were brought to the surface;
- The auger was placed in the hole and advanced to the desired sample depth and removed. Upon removal, the auger was scrubbed clean using an alconox and distilled water mixture. After scrubbing, the auger was rinsed with the alconox/water mixture and then rinsed again with distilled water. The auger was rinsed with acetone to remove any residual materials then air dried, and given a final rinse with distilled water.

#### TRAILER-MOUNTED AUGER SAMPLING PROCEDURES

Soil borings were made using a trailer-mounted, solid stem auger rig. Soil samples were collected by standard hand auger techniques in the following manner.

#### Equipment:

- o Trailer mounted solid stem auger rig;
- o Two, 8-inch length, stainless steel hand trowels;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (2 gallons);
- o Acetone (l gallon);
- o Two, plastic spray applicators;
- Wide mouth, amber glass jars and septum vials with teflon-lined screw caps;
- o Sample cooler/ice packs;
- o Bentonite pellets.

#### Procedure:

FIS

- A trailer-mounted solid stem auger rig will be used to advance the boring to a point above the desired sampling depth;
- The soil materials encountered during the boring will be logged by the geologist as they are brought to the surface;
- The auger will be placed in the hole and advanced to the desired sample depth and removed. Upon removal, the auger will be scrubbed clean using an alconox and distilled water mixture. After scrubbing, the auger will be rinsed with the alconox/water mixture and then rinsed again with distilled water. The auger will be rinsed with acetone to remove any residual materials, then air dried, then given a final rinse with distilled water.
- 4) A clean auger (the second) will be used to collect the soil from the sample zone. The auger will be advanced one foot and brought to the surface.

- The soil will be removed from the auger. Only the interior portion (3 to 4 inches) of the soil will be collected for later analysis. The top and the bottom of the sample will be discarded. A portion of the sample will be set aside for field analysis.
- The soil sample for laboratory analyses will be placed in a wide-mouth amber jar or septum vials with a teflon-lined screw cap. A sample label will be prepared showing the sample number, depth of collection, date, and analysis to be conducted. A Chain-Of-Custody control form will also be prepared.
- 7) The soil sample bottles will be placed in a storage cooler at 4°C (wet ice) for transfer to the J M Sorge, Inc. offices in Somerville, New Jersey. (The samples will be refrigerated until transfer to the laboratory for analysis).
- 8) The auger used to collect the sample for laboratory analysis will be decontaminated using the procedure detailed in Item 3 above.
- 9) At the completion of the boring, the bore hole will be backfilled with bentonite.

1.:

#### GROUNDWATER SAMPLING COLLECTION

Water samples were collected from the monitoring wells in the following manner:

#### Equipment:

- o Three (3), 1 1/2-inch O.D., stainless steel bailer with stainless steel leader;
- o Cotton rope;
- o Distilled water (2 gallons);
- o Acetone (1 gallon);
- o Two (2) plastic spray applicators;
- o Smallneck, amber glass jars with teflon-lined screw caps, and septum vials;
- o Sterilized surgical gloves (disposable); and,
- o Sample cooler/ice packs.

- 1) Groundwater samples were collected using a stainless steel bailer with stainless steel leader that was at tached to cotton rope. The stainless steel leader was of sufficient length to eliminate contact of the cotton rope with the groundwater. Sterilized surgical gloves were worn during the sampling procedures.
- The water samples were poured into the sample containers with teflon-lined screw caps. Careful procedures were used to ensure that no air remained in the septum vials. A sample label was prepared showing the sample number, sample location, date, time, and analysis to be conducted. A Chain-of-Custody control form was also prepared.
- The sample bottles were placed in a storage cooler at 4°C (wet ice) for transport to the laboratory. All standard Chain-of-Custody control procedures were followed.

- 4) Between sample collections, the bailer was scrubbed clean using an alconox and distilled water mixture. After scrubbing, the bailer was rinsed with the al conox/water mixture and then rinsed again with distill ed water. Finally, the bailer was rinsed with acetone to remove any residual material, and then was air dried. A dedicated bailer for each area was used during the well purging and sampling.
- 5) Once the samples were placed in the containers and sealed with Teflon-lined screw caps, they were placed in a storage cooler maintained at 4°C for transfer to the J M Sorge, Inc. offices, where they were refrigerated until transfer to the laboratory.

#### HAND AUGER BORING AND SAMPLE COLLECTION

Soil borings were made and samples collected from the all hand auger bore holes in the following manner:

#### Equipment:

- o Two, 4-inch O.D. stainless steel hand augers (AMS manufacture);
- o Two, 8-inch length, stainless steel hand trowels;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (2 gallons);
- o Acetone (1 gallon);
- o Two, plastic spray applicators:
- o Wide mouth, amber glass jars and septum vials with teflon-lined screw caps;
- o Sample cooler/ice packs;
- o Bentonite pellets.

- The surface area was cleared of debris by hand and a shallow hole dug (about 6 inches deep) with a hand trowel;
- The auger was placed in the hole and advanced to the desired sample depth and removed. Upon removal, the auger was scrubbed clean using an alconox and distilled water mixture. After scrubbing, the auger was rinsed with the alconox/water mixture and then rinsed again with distilled water. The auger was rinsed with acetone to remove any residual materials, air dried, then given a final rinse with distilled water.
- The soil materials encountered during the boring were logged by the geologist as they were brought to the surface;
- 4) A clean auger (the second) was used to collect the soil from the sample zone. The auger was advanced one foot and brought to the surface.

- 5) The soil was removed from the auger. Only the interior portion (3 to 4 inches) of the soil was collected for later analysis. The top and the bottom of the sample was discarded. A portion of the sample was set aside for field analysis.
- The soil sample for laboratory analyses was placed in a wide-mouth amber jar or septum vials with a teflon-lined screw cap. A sample label was prepared showing the sample number, depth of collection, date, an analysis was conducted. A Chain-Of-Custody control form was prepared.
- 7) The soil sample bottles were placed in a storage cooler at 4°C (wet ice) for transfer to the J M Sorge, Inc. offices in Somerville, New Jersey. (The samples were refrigerated until transfer to the laboratory for analysis).
- 8) The auger used to collect the sample for laboratory analysis was decontaminated using the procedure detailed in Item 2 above.
- 9) At the completion of the boring, the bore hole was backfilled with bentonite.

#### SURFACE SAMPLE COLLECTION PROCEDURE

Soil samples were collected from all sample locations in the following manner:

#### Equipment:

- o Two, 8-inch length stainless steel hand trowels;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (2 gallons);
- o Acetone (1 gallon);
- o Two, plastic spray applicators;
- o Wide mouth, amber glass jars and septum vials with teflon lined screw caps;
- o Sample cooler/ice packs;

- The surface area was cleared of debris by hand and a shallow hole dug with a hand trowel;
- The hand trowel was placed in the hole and advanced to the desired sample depth and removed. Upon removal, the trowel was scrubbed clean using an alconox and distilled water mixture. After scrubbing, the trowel was rinsed with the alconox/water mixture and then rinsed again with distilled water. The trowel was rinsed with acetone to remove any residual materials, air dried, then given a final rinse with distilled water;
- 3) The soil materials encountered during the sampling were logged by the geologist.

- The soil samples for laboratory analyses were placed in a wide-mouth amber jar or a septum vial with a teflon lined screw cap. A sample label was prepared showing the sample number, depth of collection, date, and analysis to be conducted. A Chain-of-Custody control form was prepared.
- The soil sample bottles were placed in a storage cooler at 4°C (wet ice) for transfer to the J M Sorge, Inc. offices in Somerville, New Jersey. (The samples were refrigerated until transfer to the laboratory for analysis).

### WASTE CLASSIFICATION SOIL SAMPLING PROCEDURES

The following information details the Waste Classification Soil Sample Collection Procedures. These procedures represent methods utilized to ensure the validity of soil samples collected at the site.

The composite soil samples will be collected in the following manner:

#### Equipment:

- o Two, 4-inch O.D., stainless steel hand auger;
- o Two, stainless steel hand trowels;
- o . 5-quart stainless steel mixing bowl;
- o Disposable fiber brush;
- o Distilled water (2 gallons);
- o Distilled water/alconox mixture (1 gallon);
  - o Acetone (1 gallon);
- o Plastic spray bottle applicators;
- o Wide-mouth, amber glass jars with teflon-lined screw caps;
- o Sample cooler/ice packs

- One (1) composite soil sample will be collected each 100 cubic yards of excavation spoils. Each composite sample will be made up of four (4) individual soil samples. The soil samples will be collected from different boring depths to attain the most accurate representation of the waste spoils.
- The auger will be advanced to the desired sampling depths, and the auger controls will be placed into a stainless steel mixing bowl. Following the collection of four (4) soil samples, the contents within the bowl will be thoroughly emptied on a bench-kote paper and divided into quarters. Only one quarter will be placed into a sampling jar.

- drum, the auger will be scrubbed clean, using alconox and distilled water mixture. After scrubbing, the auger will be rinsed with a alconox/distilled water mixture and then rinsed again with distilled water. The auger will be rinsed with acetone to remove any residual materials, allowed to air dry, then given a final rinse of distilled water. The hand trowel and mixing bowl will also be decontaminated following the same procedures between sample collection.
- The soil sample for laboratory analyses will be placed into a wide-mouth amber jar with a teflon-lined screw cap. A sample label will be prepared showing the sample number, date, and analysis to be conducted. A Chain-of-Custody Control form will also be prepared.
- The soil sample bottles will be placed into a storage cooler at 4°C (ice packs) for transport to the J M Sorge, Inc. offices located in Somerville, NJ. The samples will be refrigerated until transferred to the laboratory for analysis.

# APPENDIX C LABORATORY ANALYTICAL METHODOLOGIES

i i

# Analytical Methodology Summary

Volatile Organics:

Water samples are analyzed for volatile organics by purge and trap GC/MS as specified in U.S. EPA Method 624. Solid samples are analyzed for priority pollutant volatile organics as specified in the U.S. EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition) Method 8240.

Acid and Base/Neutral Extractable Organics:

Water samples are analyzed for acid and/or base/neutral extractable organics by GC/MS in accordance with U.S. EPA Method 625. Solids are analyzed for acid and/or base/neutral extractable priority pollutants as specified in the U.S. EPA extractable priority pollutants as specified in the U.S. EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, publication "Test Methods for Evaluating Solid Waste") 3rd Edition) Method 8270.

GC/MS Nontarget Compound Analysis:

Analysis for nontarget compounds is conducted, upon request, in conjunction with GC/MS analyses by U.S. EPA Methods 624, 625, 8240 and 8270. Nontarget compound analysis is conducted using a forward library search of the EPA/NIH/NBS mass spectral library of compounds at the greatest apparent concentration (10% or greater of the nearest internal standard) in each organic fraction (15 for volatiles, 15 for base/neutrals and 10 for acid extractables).

Organochlorine Pesticides and PCBs:

Water samples are analyzed for organochlorine pesticides and PCBs by dual column gas chromatography with electron capture detectors as specified in U.S. EPA Method 608. Solid samples are analyzed as specified in the U.S. EPA publication "Test Methods for Publication Colid Macro" (CM 846) for Evaluating Solid Waste" (SW-846, 3rd Edition) Method 8080.

Petroleum Hydrocarbons:

Water samples are analyzed for total petroleum hydrocarbons by I.R. using U.S. EPA Method 418.1. Solid samples are prepared for analysis by soxhlet extraction consistent with SW-846 Method 3540, as modified by the Draft "N.J. DEP ECRA Sampling Plan Guide", Attachment 2 page 9, and analyzed by U.S. EPA Method 418.1.

#### Metals Analysis:

Metals analyses are performed by any of four techniques specified by a Method Code provided on each data report page, as follows:

- P Inductively Coupled Plasma Emission Spectroscopy (ICP)
- A Flame Atomic Absorption
- F Furnace Atomic Absorption
- CV Manual Cold Vapor (Mercury)

Water analyses are performed using EPA methods provided in "Methods for Chemical Analysis of Water and Wastewater" (EPA 600/4-79-020). Solid samples are analyzed as specified in the EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition).

Specific method references for ICP analyses are water Method 200.7 and solid Method 6010. Mercury analyses are conducted by the manual cold vapor technique specified by water Method 245.1 and solid Method 7471. Other specific Atomic Absorption method references are as follows:

		Water	Test Method	Solid	Test Method
Element		Flame	Furnace	Flame	Furnace
( <del>1110)</del>			•		
Aluminum		202.1	202.2	7020	
Antimony		204.1	204.2	7040	7041
Arsenic			206.2		7060
Barium		208.1	· · ·	7080	
Beryllium		210.1	210.2	7090	7091
Cadmium		213.1	213.2	7130	7131
Calcium		215.1		7140	
Chromium,	Total	218.1	218.2	7190	7191
Chromium,	(+6)	218.4	218.5	7197	7195
Cobalt		219.1	219.2	7200	7201
Copper		220.1	220.2	7210	
Iron		236.1	236.2	7380	
Lead		239.1	239.2	7420	7421
Magnesium		242.1		7450	
Manganese		243.1	243.2	7460	
Nickel		249.1	249.2	7520	
Potassium	127.0	258.1		7610	
Selenium		'	270.2		7740
Silver		272.1	272.2	. 7760	
Sodium		273.1		7770	
Thallium		279.1	279.2	7840	7841
Vanadium		286.1	286.2	7910	7911
Zinc		289.1	289.2	7950	

#### Cyanide:

Water samples are analyzed for cyanide using U.S. EPA Method 335.2. Cyanide is determined in solid samples as specified in the U.S. EPA Contract Laboratory Program IFB dated July 1988, revised February 1989.

#### Phenols:

Water samples are analyzed for total phenols using U.S. EPA Method 420.1. Total phenols are determined in solid samples by preparing the sample as outlined in the U.S. EPA, Contract Laboratory Program IFB for cyanide, followed by a phenols determination using EPA Method 420.1.

Hazardous Waste Characteristics:

Samples for hazardous waste characteristics are analyzed as specified in the U.S. EPA publication "Test Methods for Evaluating Solid Waste" (SW-846, 3rd Edition). Specific method references are as follows:

Ignitability - Method 1020

- Water pH Method 9040 Corrosivity Soil pH Method 9045

- Chapter 7, Section 7.3.3 and 7.3.4 respectively for hydrogen cyanide Reactivity and hydrogen sulfide release.

- Method 1310 EP Toxicity

## Miscellaneous Parameters:

Additional analyses performed on both aqueous and solid samples are in accordance with methods published in the following references:

- Test Methods for Evaluating Solid Wastes, SW-846 3rd Edition, November 1986.
- Standard Methods for the Examination of Water and Wastewater, 16th Edition.
- Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, 1979.

#### DATA REPORTING QUALIFIERS

- ND The compound was not detected at the indicated concentration.
- J Mass spectral data indicates the presence of a compound that meets the identification criteria. The result is less than the specified detection limit but greater than zero. The concentration given is an approximate value.
- B The analyte was found in the laboratory blank as well as the sample. This indicates possible laboratory contamination of the environmental sample.